



# DES-DD33<sup>Q&As</sup>

Specialist - Systems Administrator, PowerProtect DD

## Pass EMC DES-DD33 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/des-dd33.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by EMC  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Where is the DD System Manager can the status of chassis components be found?

- A. Maintenance > Chassis
- B. Hardware > Chassis
- C. Health > Chassis
- D. Home > Chassis

Correct Answer: B

Reference: [https://www.juniper.net/documentation/en\\_US/release-independent/junos/topics/task/verification/router-chassis-status-nog.html](https://www.juniper.net/documentation/en_US/release-independent/junos/topics/task/verification/router-chassis-status-nog.html)

---

### QUESTION 2

What system role is required to create the second security officer for a PowerProtect DD?

- A. limited-admin
- B. security offic
- C. sysadmin
- D. admin

Correct Answer: B

Explanation:

A security role user, who may be referred to as a security officer, can manage other security officers, authorize procedures that require security officer approval, and perform all tasks supported for user-role users.

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/docu97051.pdf>

---

### QUESTION 3

An organization uses tape libraries in their current backup infrastructure. They have purchased a PowerProtect DD system and plan to use VTL to move from physical tape.

What is a consideration when configuring the tape size?

- A. Target multiple drives to write single stream
- B. Use multiple drives to write multiple streams
- C. Set retention periods for as long as possible



D. Use larger tapes for multiple smaller datasets

Correct Answer: B

---

#### QUESTION 4

What are some key benefits of performing backups and recoveries with a PowerProtect DD appliance?

A. Increase in the overall size and scope Elimination of physical tape Fewer copies that need to be tracked Increased speed of disaster recovery

B. Reduction in the overall size and scope Elimination of physical tape Number of copies that do not need to be tracked Increased speed of disaster recovery

C. Reduction in the overall size and scope Elimination of physical tape Fewer copies that need to be tracked Increased speed of disaster recovery

D. Increase in the overall size and scope Elimination of physical tape Number of copies that do not need to be tracked Increased speed of disaster recovery

Correct Answer: A

---

#### QUESTION 5

What is the preferred method to ensure backups are protected against deletion or corruption?

A. Dell EMC Cloud Tier

B. Encryption

C. Retention Lock

D. Data Invulnerability Architecture

Correct Answer: A

Explanation:

In order to keep data protection tools from getting overwhelmed by the enormous capacity requirements generated in today's data centers, technologies which enable data to be tiered from primary backup to secondary long term retention/

archive are becoming more attractive. Dell EMC Cloud Tier technology integrates with an Dell EMC ECS Object Storage system (on premises or hosted private cloud) to provide a massively scalable architecture. By leveraging the capabilities

of both of these platforms, IT administrators and architects can continue the path of consolidating critical backup processes, protecting complex environments mixed with unstructured data, database engines, virtual environments, while at the



same time providing the ability to meet long term.

Reference: [https://www.delltechnologies.com/content/dam/uwaem/production-design-assets/en-apj/dell\\_emc\\_periodic\\_table\\_data\\_protection\\_eBook.pdf](https://www.delltechnologies.com/content/dam/uwaem/production-design-assets/en-apj/dell_emc_periodic_table_data_protection_eBook.pdf)

---

#### QUESTION 6

What are some possible network bottlenecks for a PowerProtect DD?

- A. Configuration, wire speeds, switches and routers
- B. Connectivity, firewalls, and routing protocols
- C. Connectivity, routing protocols, and configuration
- D. Routing protocols, switches and routers, and wire speeds

Correct Answer: A

---

#### QUESTION 7

An administrator is migrating their old cloud tier-enabled Data Domain to a new PowerProtect DD appliance with cloud tier. During migration, the administrator recognizes that file system cleaning on the source system is not possible. What is the most likely cause of this behavior?

- A. Filesystem is disabled on source system
- B. Source system is running in restricted mode
- C. Migration will restrict all activities on both systems
- D. Migration will restrict all activities on source system

Correct Answer: D

Reference: <https://www.delltechnologies.com/asset/en-us/products/data-protection/technical-support/docu95865.pdf>

---

#### QUESTION 8

A Spectrum Protect administrator is configuring VTL on PowerProtect DD. Which tape driver type should they select?

- A. L180
- B. L2000
- C. TS3500
- D. L6000



Correct Answer: C

Reference: <https://www.ibm.com/support/pages/emc-data-domain-deduplication-storage-systems-dd-series-vtl-information-ibm-spectrum-protect-server-formerly-tsm>

---

#### QUESTION 9

What is a requirement to configure the PowerProtect DD tape out to cloud feature?

- A. Cloud Tier Capacity License
- B. Tape Out to Cloud License
- C. DDVE in the Cloud
- D. Two cloud units

Correct Answer: A

---

#### QUESTION 10

An administrator monitors the performance statistics of a PowerProtect DD appliance. Low disk-write rates are shown, and the network inbound traffic is high. What is the most likely cause of this behavior?

- A. Expired segments
- B. Known segments
- C. Disk failure
- D. NVRAM failure

Correct Answer: B

[DES-DD33 Practice Test](#)

[DES-DD33 Exam Questions](#)

[DES-DD33 Braindumps](#)