



DEX-450^{Q&As}

Programmatic Development using Apex and Visualforce in Lightning

Pass Salesforce DEX-450 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/dex-450.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

How can a developer retrieve all Opportunity record type labels to populate a list collection? Choose 2 answers

- A. Obtain describe object results for the Opportunity object.
- B. Write a for loop that extracts values from the Opportunity.RecordType.Name field.
- C. Use the global variable \$RecordType and extract a list from the map.
- D. Write a SOQL for loop that iterates on the RecordType object.

Correct Answer: AD

QUESTION 2

To which primitive data type in Apex is a currency field atomically assigned?

- A. Integer
- B. Decimal
- C. Double
- D. Currency

Correct Answer: B

QUESTION 3

A developer has javascript code that needs to be called by controller functions in multiple components by extending a new abstract component. Which resource in the abstract component bundle allows the developer to achieve this

- A. Controller.js
- B. Superrender.js
- C. Rendered.js
- D. Helper.js

Correct Answer: D

QUESTION 4

Which three data types can be returned from an SOQL statement?

- A. Boolean



B. List of objects

C. String

D. Integer

E. Single object

Correct Answer: BDE

QUESTION 5

What is the result when a Visualforce page calls an Apex controller, which calls another Apex class, which then results in hitting a governor limit?

A. Any changes up to the error are saved.

B. Any changes up to the error are rolled back.

C. All changes before a savepoint are saved.

D. All changes are saved in the first Apex class.

Correct Answer: B

QUESTION 6

Which is a valid apex assignment?

A. Integer x=5 * 1,0

B. Integer = 5,0

C. Double x = 5

D. Float x = 5.0

Correct Answer: C

QUESTION 7

A developer creates an Apex helper class to handle complex trigger logic. How can the helper class warn users when the trigger exceeds DML governor limits?

A. By using `PageReference.setRedirect()` to redirect the user to a custom Visualforce page before the number of DML statements is exceeded.

B. By using `Messaging.sendEmail()` to continue the transaction and send an alert to the user after the number of DML statements is exceeded.

C. By using `ApexMessage.Messages()` to display an error message after the number of DML statements is exceeded.



D. By using `Limits.getDMLRows()` and then displaying an error message before the number of DML statements is exceeded.

Correct Answer: D

QUESTION 8

What can a developer use to determine if the core Apex code exceeds any governor limits in a test class during bulk execution?

- A. `Limits.startTest, stopTest`
- B. `Test.getDmlStatements()`
- C. `@TestSetup`.
- D. `@TestVisible`

Correct Answer: A

QUESTION 9

A developer encounters APEX heap limit errors in a trigger.

Which two methods should the developer use to avoid this error? (Choose two.)

- A. Use the `transient` keyword when declaring variables.
- B. Query and store fields from the related object in a collection when updating related objects.
- C. Remove or set collections to null after use.
- D. Use SOQL for loops instead of assigning large queries results to a single collection and looping through the collection.

Correct Answer: AD

QUESTION 10

Which two statement can a developer use to throw a custom exception of type `MissingFieldValueException`? Choose 2 answers

- A. `Throw (MissingFieldValueException, '\\Problem occurred\\');`
- B. `Throw new MissingFieldValueException(\\'Problem occurred\\');`
- C. `Throw new MissingFieldValueException();`
- D. `Throw Exception(new MissingFieldValueException());`

Correct Answer: BC



QUESTION 11

Which tool can deploy destructive changes to apex classes in production?

- A. Workbench
- B. Salesforce setup
- C. Change sets
- D. Developer Console

Correct Answer: A

QUESTION 12

What is a capability of the tag that is used for loading external Javascript libraries in Lightning Component? (Choose three.)

- A. Loading files from Documents.
- B. One-time loading for duplicate scripts.
- C. Specifying loading order.
- D. Loading scripts in parallel.
- E. Loading externally hosted scripts.

Correct Answer: BCD

QUESTION 13

Which action can a developer perform in a before update trigger? (Choose 2)

- A. Display a custom error message in the application interface.
- B. Change field values using the Trigger.new context variable.
- C. Delete the original object using a delete DML operation.
- D. Update the original object using an update DML operation.

Correct Answer: AB

QUESTION 14

A developer needs an Apex method that can process Account or Contact records. Which method signature should the developer use?



- A. Public void doWork(Record theRecord)
- B. Public void doWork(sObject theRecord)
- C. Public void doWork(Account Contact)
- D. Public void doWork(Account || Contatc)

Correct Answer: B

QUESTION 15

Which three options can be accomplished with formula fields? (Choose three.)

- A. Generate a link using the HYPERLINK function to a specific record.
- B. Display the previous value for a field using the PRIORVALUE function.
- C. Determine if a datetime field value has passed using the NOW function.
- D. Return and display a field value from another object using the VLOOKUP function.
- E. Determine which of three different images to display using the IF function.

Correct Answer: ACE

[DEX-450 PDF Dumps](#)

[DEX-450 Study Guide](#)

[DEX-450 Exam Questions](#)