



E20-307^{Q&As}

VMAX3 Solutions Specialist Exam for Implementation Engineers

Pass EMC E20-307 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/e20-307.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by EMC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

What is the distance limit for SRDF/S remote replication?

- A. 60 miles / 96 km
- B. 100 miles / 160 km
- C. 125 miles / 200 km
- D. 200 miles / 320 km

Correct Answer: C

Reference <https://community.emc.com/thread/123013?start=0andtstart=0>

QUESTION 2

In addition to the Solutions Enabler Base daemon, which other daemon is also mandatory at installation?

- A. STP
- B. GNS
- C. SYMAPI Server
- D. Event

Correct Answer: C

Reference https://sort.veritas.com/public/documents/vom/6.0/windowsandunix/productguides/html/Addons_Guide/apas02s02s02.htm

QUESTION 3

Which VMAX3 objects can be configured with Unisphere for VMAX and SYMCLI?

- A. Disk groups, Data Pools, and Storage Resource Pools
- B. Disk groups, Data Pools, and autoprovisioning groups
- C. Thin devices and autoprovisioning groups
- D. Thin devices, Storage Resource Pools, and Masking Views

Correct Answer: A

QUESTION 4



Which I/O module is used by VMAX3 eNAS systems to facilitate backup to tape?

- A. 2-port 10 GbE BaseT
- B. 2-port 10 GbE Optical
- C. 4-port 8 Gb FC
- D. 4-port 16 Gb FC

Correct Answer: C

Reference <https://www.emc.com/collateral/technical-documentation/h13904-vmax3-embedded-nas-technical-note.pdf> (page 8)

QUESTION 5

What is the maximum Reserved Capacity percentage that can be set for a VMAX All Flash Storage Resource Pool?

- A. 10
- B. 20
- C. 80
- D. 90

Correct Answer: C

Reference <https://uk.emc.com/collateral/technical-documentation/docu55786-vmax3-service-level-pro-fully-automated-storage.pdf> (p.27)

QUESTION 6

What is the basis for the allocation of new extends from a Storage Resource Pool (SRP) in a VMAX3 array?

- A. Data Pool RAID types and SRP capacity
- B. Data Pool Ranking and Service Level
- C. Data Pool RAID types and default Service Level
- D. Data Pool Ranking and SRP capacity

Correct Answer: B

QUESTION 7



Source (R1) View					Target (R2) View					MODE
Standard		ST		LI		ST				
		A		N		A				
Logical	Sym	T	R1 Inv	R2 Inv	K	Sym	T	R1 Inv	R2 Inv	RDF Pair
Device	Dev	E	Tracks	Tracks	S	Dev	E	Tracks	Tracks	STATE
DEV001	000S9		1	2		00087		3	4	S...
DEV002	000SA					00088				S...

Both the R1 and R2 devices are being accessed after an SRDF Split operation. Where will the changes made to these devices be reflected in the SRDF Query output shown in the exhibit?

- A. 1 and 3
- B. 1 and 4
- C. 2 and 3
- D. 2 and 4

Correct Answer: C

QUESTION 8

A VMAX3 storage administrator created several TimeFinder SnapVX snapshots. The administrator wants the snapshots to expire after seven days. Which action should be taken by the administrator?

- A. Set the "time-to-live" on the snapshots.
- B. Snapshots must be manually deleted, one at a time.
- C. Snapshots must be recreated, specifying the "time-to-live"
- D. Link the snapshots to the target

Correct Answer: A

Reference <https://www.emc.com/collateral/technical-documentation/h13697-emc-vmax3-local-replication.pdf> (page 8)

QUESTION 9

Please check the option that best describes your relationship with Dell EMC:

- A. Dell EMC Employee
- B. Dell EMC Customer/Partner
- C. Other



Correct Answer: C

QUESTION 10

Which SYMCLI commands(s) can be used to set/modify the Host I/O limits?

- A. symaccess only
- B. symconfigure and symaccess
- C. symaccess and symmsg
- D. symmsg only

Correct Answer: D

Reference <https://www.emc.com/collateral/white-papers/h11464-application-workload-control-emc-symmetrix-vmax-wp.pdf> (P.12)

QUESTION 11

Which Solutions Enabler daemon is responsible for Gatekeeper management?

- A. storstpd
- B. storgnsd
- C. storapid
- D. storsrvd

Correct Answer: C

Reference <https://www.emc.com/collateral/TechnicalDocument/docu78907.pdf> (p.145)

QUESTION 12

SRDF/A has been enabled between two VMAX3 arrays. What will the RDF pair state be if there is a permanent loss of all RDF links?

- A. Partitioned
- B. Split
- C. Suspended
- D. Consistent

Correct Answer: C



QUESTION 13

What is the default HTTPS port used to connect to Unisphere for VMAX?

- A. 80
- B. 443
- C. 3324
- D. 8443

Correct Answer: D

Reference <https://uk.emc.com/collateral/TechnicalDocument/docu59484.pdf> (p.35)

QUESTION 14

What is the default port number to access the EMC vApp Manager for Solutions Enabler?

- A. 2707
- B. 5480
- C. 8080
- D. 8443

Correct Answer: B

QUESTION 15

What does the Reserved Capacity parameter for a VMAX3 Storage Resource Pool (SRP) reserve?

- A. Absolute capacity, in GB, for thin device host allocations.
- B. Absolute capacity, in GB, for TimeFinder SnapVX snapshots.
- C. Percentage of SRP for thin device host allocations.
- D. Percentage of SRP for TimeFinder SnapVX snapshots

Correct Answer: C

Reference <https://uk.emc.com/collateral/technical-documentation/docu55786-vmax3-service-level-pro-fully-automated-storage.pdf> (p.27)