



# FPGEE<sup>Q&As</sup>

Foreign Pharmacy Graduate Equivalency Examination

## Pass NABP FPGEE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/fpgee.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NABP  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

The following prescription is received in a community pharmacy:

Losec - 20 mg

S: Take 1 tab BID

M: 2 weeks

Which of the following is correct labelling for this prescription?

- A. Take one tablet twice weekly (28 tablets).
- B. Take one tablet twice weekly (4 tablets).
- C. Take two tablets twice daily (56 tablets).
- D. Take one tablet twice daily (28 tablets).
- E. Take one tablet twice daily (14 tablets)

Correct Answer: D

---

### QUESTION 2

Which of the following complications is considered the gravest side effect associated with isoniazid treatment?

- A. Cardiac dysfunction
- B. Mental dysfunction
- C. Hepatitis
- D. Renal complications
- E. Discoloration of skin

Correct Answer: C

---

### QUESTION 3

All of the following are examples of DM RA-Disease Modifying Antirheumatic Agents, EXCEPT

- A. Methotrexate
- B. Sulfasalazine
- C. Organic Gold Compounds



D. Sulfinpyrazone

E. Penicillamine

Correct Answer: D

---

#### QUESTION 4

Uricosuric agents are used in gout treatment by inhibiting the uric acid re-absorption in the proximal tubules, the best example of a uricosuric agent is:

A. Allopurinol

B. sulphinpyrazone

C. Indomethacin

D. Penicillamine

E. Methotrexate

Correct Answer: B

---

#### QUESTION 5

Indication of thiabendazole is:

A. Cestodes

B. Status epilepticus

C. Strongylogdes stercoralis

D. Ancylostoma duodenale

E. Ventricular fibrillation

Correct Answer: C

---

#### QUESTION 6

Acarbose smooths and lowers:

A. postprandial blood glucose levels by blocking absorption of carbohydrates.

B. postprandial blood glucose levels by delaying absorption of carbohydrates.

C. preprandial blood glucose levels by blocking absorption of carbohydrates.

D. preprandial blood glucose levels by delaying absorption of carbohydrates.



E. preprandial and postprandial blood glucose levels by blocking absorption of carbohydrates.

Correct Answer: B

---

#### QUESTION 7

Which of the following is considered the normal potassium serum in human body?

- A. 2.0 to 3.5mEq/L
- B. 3.5 to 5.0mEq/L
- C. 5.0 to 7.5mEq/L
- D. 3.5 to 7.5mEq/L
- E. 3.0 to 6.0mEq/L

Correct Answer: B

---

#### QUESTION 8

Both isoxazole and oxazole rings are found as substituents in some bacteriostatic sulfanilamides. They are present in these structures specifically because of their:

- A. Sizes and shapes
- B. Tautomeric activities
- C. Enzymatic activities
- D. Electron-donating effects
- E. Electron-withdrawing effects

Correct Answer: E

---

#### QUESTION 9

All are examples of corticosteroids inhalers used in asthma, EXCEPT:

- A. Beclometasone
- B. Sodium cromoglycate
- C. Flunisolide
- D. Fluticasone
- E. Budesonide



Correct Answer: B

---

#### QUESTION 10

Biceps muscles are part of:

I the arm II the thigh III the rib cage

A. I only

B. III only

C. I and II only

D. II and III only

E. I, II and III

Correct Answer: C

---

#### QUESTION 11

True statements regarding the use of monoclonal antibodies include which of the following?

I. Flu-like symptoms commonly occur at the start of therapy.

II. T cells are blocked from initiating the rejection process.

III.

Orthoclone is a human immunoglobulin product.

A.

I only

B.

III only

C.

I and II only

D.

II and III only

E.

I, II and III



Correct Answer: C

---

### QUESTION 12

Example of drug used in prophylaxis of malaria includes:

- A. Cloroquine
- B. Quinine
- C. Primaquin
- D. Quinine
- E. Quinidine

Correct Answer: A

---

### QUESTION 13

Correct statements regarding Penicillin V may include which of the following?

- I. lactamase sensitive antibiotic - acidstable
- II. Has a short half-life because is rapidly excreted by glomerular filtration

III.

Probenecid increase penicillin's activity

- A.  
I only
- B.  
III only
- C.  
I and II only
- D.  
II and III only
- E.  
All are correct

Correct Answer: E

---



#### QUESTION 14

Mechanism of action of Prozac is:

- A. Induces translation misreadings
- B. dopamine antagonist
- C. Damages mitochondrial DNA
- D. serotonin reuptake inhibitor
- E. monoamine reuptake inhibitor

Correct Answer: D

---

#### QUESTION 15

What would be the preferred route of metabolism of succinyl choline?

- A. Ester hydrolysis
- B. N-oxidation
- C. Glucuronide conjugation
- D. A and B
- E. All of the above

Correct Answer: C

[Latest FPGEE Dumps](#)

[FPGEE PDF Dumps](#)

[FPGEE Practice Test](#)