H11-828^{Q&As}

H11-828 Q&As

HCNP-UC(Fast Track)(Unified Communication (Fast Track))

Pass Huawei H11-828 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/h11-828.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

In the AR, the major function of the CCM module is to trace interaction messages between internal modules to locate the phase when call failure occurs.

A. TRUE

B. FALSE

Correct Answer: B

QUESTION 2

To prevent toll fraud caused by outgoing call forwarding through trunks or VUs, we can configure the following toll fraud prevention policies: (). (Multiple Choice)

A. Prefix call attribute configuration

B. Trunk-based call restriction

C. Restriction on the automatic switchboard number length

D. User rights configuration

Correct Answer: ABC

QUESTION 3

The SoftConsole has the () service features. (Multiple Choice)

A. Barge and forced release

B. Corporate directory

C. Incoming call queuing

D. Message leaving

E. Night service

Correct Answer: ABCE

QUESTION 4

Which of the following statements are CORRECT about the recording server functions in the eSpace Audio Recorder solution? (Multiple Choice)

A. Receive RTP/SRTP streams from conference sites.

B. Analyze recording information based on the requests sent by the SIP Server for enabling or disabling conference recording, and generate recording files and data;

C. Store the recording server parameter settings and recording data;

D. Support number registration and call connection.

Correct Answer: AB

QUESTION 5

In the eSpace UC solution architecture, which of the following NEs provides the service management function?

A. BMU

B. eSight

C. U1900

D. eServer

Correct Answer: A

QUESTION 6

A user in a branch of an enterprise cannot use UC services, but other users can properly use services. In this case, the processing policy is to directly locate the cause of the fault.

A. TRUE

B. FALSE

Correct Answer: A

QUESTION 7

A company\\'s branch has 20 IP phones that need to register with the primary node. Which of the following devices is most cost-effective and supports local regeneration for the branch?

A. IAD132E(T)

B. U1911

C. U1981

D. U1960

Correct Answer: B

QUESTION 8

Which of the following terminals is NOT used in eSpace UC Solution?

A. eSpace Agent

B. eSpace Desktop

C. IP phone

D. eSpace Mobile

Correct Answer: A

QUESTION 9

The eSpace UC solution supports the following multimedia conferencing functions (). (Multiple Choice)

A. Video

B. Desktop and application sharing

C. Whiteboard

D. Text communication

E. Document and media sharing

F. Rich Media Message

Correct Answer: ABCDE

QUESTION 10

In a multi-node centralized network, which of the following statements are CORRECT if the central node is disconnected from a local node? (Multiple Choice)

A. The local node becomes an independent IP PBX and accepts registration requests from SIP users.

B. On the central node, the status of the local node\\'s users is displayed as FAULT.

C. On the central node, the local node\\'s license information is not displayed.

D. On the central node, the local node\\'s license information is still displayed.

Correct Answer: ABC

QUESTION 11

The eSpace UC solution provides the recording function through the UMS component.

A. TRUE

B. FALSE

Correct Answer: B

QUESTION 12

About eSpace clients, which of the following statements are CORRECT? (Multiple Choice) A. eSpace clients include eSpace Desktop and eSpace Mobile.

B. eSpace clients can be installed on iPhone.

C. eSpace clients can be installed on mobile phones that run the Android operating system.

D. eSpace clients can be installed on mobile phones that run the Windows Phone operating system.

Correct Answer: ABC

QUESTION 13

What are not the possible causes if eSpace Desktop fails to dial any number?

A. The CPU usage of the unified gateway reaches the upper limit.

B. The license on the unified gateway has expired.

C. Call barring upon space exhaustion of the CDR pool has been configured on the unified gateway.

D. The intra-office user has password-based call barring configured.

Correct Answer: A

QUESTION 14

An unknown communication error occurs in an enterprise, so UC services of all users are unavailable. In this case, which of the following measures can be used?

A. Recover services as soon as possible.

B. Locate the root cause of the fault.

C. Collect the information required for locating a fault.

Correct Answer: A

QUESTION 15

In a multi-node centralized call management network, if an AR router is configured as the bcal node, the AR service

mode must be set to the PBX mode.

A. TRUE

B. FALSE

Correct Answer: A