H12-211^{Q&As}

HCIA-Routing & Switching V2.2

Pass Huawei H12-211 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/h12-211.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei Official Exam Center

QUESTION 1

The administrator wants to upgrade the configuration file for the AR2200 via a USB cable, and the following description is correct (). (multiple choice)

A. Connect the mini USB cable of the PC and AR2200 with a mini USB cable.

B. Connect the USB interface of the PC and AR2200 with a mini USB cable.

C. The AR2200 does not support the use of USB to update configuration files.

D. After connecting the cable, the administrator needs to install the driver for the mini USB.

Correct Answer: AD

QUESTION 2

During STP calculation, the port cost is associated with port bandwidth. Which of the following statements about the relation between port cost and port bandwidth is true?

A. Port cost decreases when port bandwidth increases.

B. Port cost increases when port bandwidth increases.

C. Port cost is consistent with port bandwidth.

D. Port cost varies randomly according to port bandwidth.

Correct Answer: A

QUESTION 3

The PPPoE session establishment process can be divided into which stages? (Choose two).

A. Discovery stage

B. DHCP stage

C. PPPoE Session stage

D. PPP connecting stage.

Correct Answer: AC

QUESTION 4

Which type of DHCP packets does a DHCP client send when it wants to leave a network?

A. DHCP Discover packet

B. DHCP Release packet

C. DHCP Request packet

D. DHCP ACK packet

Correct Answer: B

QUESTION 5

A port of the switch is configured as a trunk port, and it is now intended to connect a host to the port to access the network. The following essential operations are ().

A. Delete multiple VLANs on the port in the global view.

B. Delete multiple VLANs on the port in interface view

C. Close the interface and re-enable it to restore the default configuration

D. Configure the interface as an access port

Correct Answer: D

QUESTION 6

In RSTP mode, both alternate and backup ports cannot forward user traffic but can receive, process, and send BPDU.

A. True

B. False

Correct Answer: A

QUESTION 7

Two routers are connected through serial interfaces and support PPP encapsulation. Which parameters must be negotiated to establish the PPP connection? (Choose three).

A. MRU

B. Authentication password

C. Magic-Number

D. IP address

Correct Answer: ACD

QUESTION 8

Which of the following OSPF packets can ensure LSA update reliability?

A. DD

B. LSR

C. LSU

D. LSACK

Correct Answer: C

QUESTION 9

On the VRP platform, which of the following commands is used to configure the Router ID of a router as 1.1.1.1?

A. router id 1.1.1.1

B. [Huawei]router id 1.1.1.1

C. [Huawei]router-id 1.1.1.1

D. [Huawei]router id 1.1.1.1 255.255.255.255

Correct Answer: B

QUESTION 10

SNMP packets are carried over TCP.

A. Yes

B. Wrong

Correct Answer: B

QUESTION 11

In RSTP, a backup port can replace a faulty root port.

A. TRUE

B. FALSE

Correct Answer: A

QUESTION 12

In the PPPoE discovery stage, the PPPoE server assigns a session-id to the PPPoE client in which packet?

A. PADI

B. PADO

C. PADR

D. PADS

Correct Answer: D

QUESTION 13

An existing switch is directly connected to the designated port of the peer device through a port, but the port does not forward any packets but can be connected. Receive a BPDU to listen for network changes, then the role of the port should be ().

A. Root port

B. Designated port

C. Alternate port

D. Disable port

Correct Answer: C

QUESTION 14

Which of the following technologies is used to bind MAC addresses to interfaces on a switch?

A. SEP.

B. Port security.

C. ACL.

D. NAT.

Correct Answer: B

QUESTION 15

In the PPP protocol, which of the following encryption algorithms is used by CHAP?

A. DES

B. MD5

C. AES

D. None

Correct Answer: B