



HPE0-V14^{Q&As}

Building HPE Hybrid IT Solutions

Pass HP HPE0-V14 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/hpe0-v14.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

A small, expanding law firm wants to replace its single Windows server

The server will be kept in their library without a rack. They want a server that allows for internal storage growth and is capable of adding PCI adapters.

Which HPE server model type should you recommend?

- A. HPE BL
- B. HPE XL
- C. HPE DL
- D. HPE ML

Correct Answer: D

QUESTION 2

A customer needs to virtualize their storage across physical servers and storage environments.

Which HPE solution meets the customer's needs?

- A. Nimble CS3000
- B. StoreVirtual 4335
- C. StoreVirtual VSA
- D. MSA 2050

Correct Answer: C

QUESTION 3

Which protocol should be used to access an exported directory on a network-attached storage device?

- A. RIP
- B. NFS
- C. BGP
- D. SNMP

Correct Answer: B



QUESTION 4

A customer is planning to deploy a new Top of Rack solution. They plan to use a stacking technology that meets the following requirements:

1.

Support for Multi Chassis Link Aggregation in an active-active mode. The control plane must not be a single point of failure.

2.

Rapid Fail-over. Unified Management.

3.

They require a maximum of two switches per stack. Which stacking technology meets the customer's requirements?

A. HPE Intelligent Resilient Framework (IRF)

B. HPE Distributed Trunking

C. Aruba Virtual Switching Extension (VSX)

D. Aruba Virtual Switching Framework (VSF)

Correct Answer: C

Reference: https://www.arubanetworks.com/assets/tg/AVD_Midsize-Campus-Design-Deploy.pdf

QUESTION 5

You are installing a rack at customer site.

How can you ensure redundant power to the rack?

A. Install two power distribution units (PDUs) with each one connected to a power socket supplied by an independent electrical power source.

B. Ensure 3-phase power is available in the data center.

C. Connect an uninterruptible power supply (UPS) to redundant circuit breakers at the facility power source.

D. Use two different power cords to connect the server to the power grid at the customer site.

Correct Answer: C

QUESTION 6

DRAG DROP



Match the customer requirement to the appropriate HPE storage solution.

Select and Place:

HPE Solution		Requirement
HPE 3PAR Storage		Converged block, file, and object
HPE MSA Storage		Triple-Parity RAID
HPE Nimble Storage		Volume Tier Affinity

Correct Answer:

HPE Solution		Requirement
	HPE 3PAR Storage	Converged block, file, and object
	HPE Nimble Storage	Triple-Parity RAID
	HPE MSA Storage	Volume Tier Affinity

Reference: <https://h20195.www2.hpe.com/v2/GetPDF.aspx/4AA5-6078ENW.pdf>
<https://assets.ext.hpe.com/is/content/hpedam/a50002410enw>

QUESTION 7

While troubleshooting a HPE ProLiant Gen10 rack-mount server, you determine that the current and backup system ROMs are corrupt. What should be the next step to fix the server?

- A. Restore the system firmware from a USB drive
- B. Restore the system firmware from a UEFI shell prompt
- C. Replace the CMOS battery
- D. Restore the system firmware from the iLO repository
- E. Replace the system board

Correct Answer: E



QUESTION 8

For which virtualization management products does HPE OneView offer integration plug-ins? (Select two.)

- A. Nutanix Prism infrastructure Manager
- B. Red Hat Enterprise Virtualization Manager
- C. Microsoft System Center
- D. VMware vCenter
- E. Citrix XenCenter

Correct Answer: CD

QUESTION 9

You have completed a non-disruptive activation of firmware on an SN6000 switch.

Which session must be restarted manually?

- A. Enterprise Fabric Management Suite session
- B. telnet session
- C. SAN connection Manager session
- D. QuickTools session

Correct Answer: B

QUESTION 10

You are validating a configuration prior to quoting it for the customer. You plan to propose the following configuration:

Two HPE DL380 Gen10 servers with dual processors, 256GB of memory, dual 10Gb NICs, SN1100Q 16Gb dual port FC HBA, dual 800W power supplies, and high temperature fan kit HPE Nimble HF20H with 11TB storage, 960GB of cache, dual port 10GbE NIC, and 16Gb dual port FC adapter kit Two SN3000B FC Switches

Which tool should you use to verify firmware compatibility between the storage and server components in this proposed solution?

- A. HPE NinjaSTARS
- B. HPE One Configuration Advanced
- C. HPE OneView Advanced
- D. HPE SPOCK



Correct Answer: D

QUESTION 11

A customer requires a management solution that will provide email notifications if hardware errors occur on their servers. Which management solution provides this functionality?

- A. Embedded UEFI diagnostics
- B. HPE Intelligent Provisioning
- C. HPE Oneview
- D. iLO Standard Edition

Correct Answer: D

QUESTION 12

A customer requires a high level of network bandwidth and reliability. You are installing a pair of HPE switches that can provide redundancy with multiple connections between them for high availability and faster throughput.

Which technology should you configure on the switches to enable the capability the customer requires?

- A. Rapid Spanning Tree Protocol (RSTP)
- B. Virtual Extensible Local Area Network (VxLAN)
- C. Multichassis Link Aggregation (MLAG)
- D. Multiple Spanning Tree Protocol (MSTP)

Correct Answer: C

QUESTION 13

A customer ordered a pair of HPE SN3000B 16 Gb Fibre Channel Switches to provide Fibre Channel connectivity between VMware ESXi hosts and HPE 3PAR StoreServ 8200. Which adapter is required to support Fibre Channel connectivity from the VMware ESXi hosts to the new switches?

- A. HBA
- B. SAS
- C. CNA
- D. NIC

Correct Answer: A



QUESTION 14

What should you install with a server for a customer who may need to perform maintenance on the server while it is the rack? (Select two.)

- A. Cable Management Arm (CMA)
- B. redundant PDUs
- C. high performance fan kit
- D. rack stabilization kit
- E. blanking panels

Correct Answer: AD

QUESTION 15

What does StoreOnce use to allow independent software vendors (ISV) to be aware of the HPE StoreOnce Backup system and its capabilities without emulation?

- A. Recovery Manager Central
- B. Catalyst Target
- C. Virtual Tape Library
- D. NAS Target

Correct Answer: A

<https://h20195.www2.hpe.com/v2/GetPDF.aspx/c04328820.pdf>

[Latest HPE0-V14 Dumps](#)

[HPE0-V14 Study Guide](#)

[HPE0-V14 Exam Questions](#)