HPE2-T37^{Q&As}

Using HPE OneView

Pass HP HPE2-T37 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/hpe2-t37.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

QUESTION 1

HOTSPOT

You want a server profile to be automatically applied when an HPE Synergy Compute Module is replaced.

Click the appropriate configuration option.

Hot Area:

General

Name	ESXi-ClusterNode1
Description	
Server profile tempalte	None
Server hardware	CZ204400XB, bay 1

☐ Show empty bays

Server hardware power is on. Some server profile updates require the server to be powered off. Power off the server. Learn more.

Server hardware type	SY 480 Gen10 1 Change
Enclosure group	EG Change
Affinity	Device bay + server hardware

OS Deployment

To define OS deployment settings, add a OneView Deployment Manager type OS deployment server. Add OS deployment server

Firmware

Firmware baseline	managed manually

Connections

ID	Name	Network	Port	Boot
● 1	e1	Eth-1 Untagged	Mezzanine 3:1-a	Not bootable ✎ ✗

Type   Ethernet
MAC address   94:40:C9:6C:24:24 (p)
Requested virtual   None
functions
Requested bandwidth   2.5 Gb/s
Link Aggregation group None

Correct Answer:

General

Name	ESXi-ClusterNode1
Description	
Server profile tempalte	None ✕ 🔍
Server hardware	CZ204400XB, bay 1 ✕ 🔍

☐ Show empty bays

Server hardware power is on. Some server profile updates require the server to be powered off. Power off the server. Learn more.

Server hardware type	SY 480 Gen10 1 Change
Enclosure group	EG Change
Affinity	Device bay + server hardware ∨

OS Deployment

To define OS deployment settings, add a OneView Deployment Manager type OS deployment server. Add OS deployment server

Firmware

Firmware baseline	managed manually ∨

Connections

ID	Name	Network	Port	Boot	
● 1	e1	Eth-1 Untagged	Mezzanine 3:1-a	Not bootable	✎ ✕

Type	Ethernet
MAC address	94:40:C9:6C:24:24 (p)
Requested virtual functions	None
Requested bandwidth	2.5 Gb/s
Link Aggregation group	None

Reference: https://support.hpe.com/hpesc/public/docDisplay?docId=a00100026en_usanddocLocale=en_US

**QUESTION 2**

DRAG DROP

For HPE Primera, match each task with the management tool that can be used to perform it.

Select and Place:

Answer Area

Tool	Task
	Replication configuration
	Volume to host presentation
	Automated zoning with SAN Manager
	Adding new storage pool

HPE OneView

HPE StoreServ Management Console

Correct Answer:

Answer Area

HPE OneView

HPE StoreServ Management Console

Tool	Task
HPE OneView	Replication configuration
HPE StoreServ Management Console	Volume to host presentation
HPE StoreServ Management Console	Automated zoning with SAN Manager
HPE OneView	Adding new storage pool

Reference: https://www.acpcreativit.com/wp-content/uploads/2021/04/Data-migration-from-HPE-3PAR-to-HPE-Primera-a00110464enw.pdf

QUESTION 3

Refer to the exhibit.

OneView ∨ Search Q

Networks 13

+ Create network

●	Name	▲	VLAN	Type
●	Eth-1		Untagged	Ethernet
●	FC-A			FC
●	FC-B			FC
●	FT-01		Untagged	Ethernet
●	FT-02		Untagged	Ethernet
●	FT-03		Untagged	Ethernet
●	FT-04		Untagged	Ethernet
●	FT-05		Untagged	Ethernet
●	vMotion-01		Untagged	Ethernet
●	vMotion-02		Untagged	Ethernet
●	vMotion-03		Untagged	Ethernet
●	vMotion-04		Untagged	Ethernet
●	vMotion-05		Untagged	Ethernet

exhibit 37.63.4.9

● **Eth-1** | Overview ∨ | ⇄ |

General

Type	Ethernet
VLAN	Untagged
Associated with IPv4 subnet ID	none
Associated with IPv6 subnet ID	none
Purpose	Management
Preferred bandwidth	2.5 Gb/s
Maximum bandwidth	20 Gb/s
Smart link	Yes
Private network	No
Uplink set	ETH-Uplink
Used by	2 server profiles 3 server profile templates
Member of	no network sets

Your customer created multiple networks in HPE OneView, but only Eth-1 is available to be used within a server profile. What is a likely cause of this situation?

A. The other networks are not configured with the required Smart Link parameter

B. The other networks are configured with a purpose other than General or Management

C. The other networks have `Private Network\\' selected, which hides them from Compute Modules

D. The other networks are not added to the Logical Interconnect Group configuration

Correct Answer: C

QUESTION 4

Which licenses are optional to be purchased separately for HPE Synergy?

A. Global Dashboard licenses

B. FC Upgrade licenses

C. HPE OneView licenses

D. Virtual Connect licenses

Correct Answer: B

QUESTION 5

Your customer wants to optimize GenlO servers for a virtualization workload by configuring all of them with a specific workload profile in the BIOS. All of the servers are managed using HPE OneView.

How can this task be completed?

A. Set a specific workload profile within Logical Interconnect Group and update all servers.

B. Set a specific workload profile for all managed servers as an HPE OneView global setting.

C. Set a specific workload profile within server profile template and update all profiles.

D. Set a specific workload profile using IL0 interface for each individual server.

Correct Answer: C

QUESTION 6

Your customer is considering HPE Synergy as a hardware platform for virtualization workload. The customer environment is very dynamic, and they often have to modify hypervisor networking.

Which resource provided by HPE should you discuss with this customer?

A. HPE OneView Global Dashboard allows server profile replication and change management

B. HPE OneView for VMware vCenter Server will enable host profile functionality and simplify changes

C. PowerShell Library for HPE OneView allows scripted environment modification

D. HPE Image Streamer provides templates which can be updated to map the hypervisor requirements

Correct Answer: C

QUESTION 7

What is the best practice when deploying an HPE OneView appliance?

A. deploy the appliance in a hypervisor cluster that is not managed by OneView

B. use thin-provisioning for the HPE OneView appliance to save storage capacity

C. enable VMware Fault Tolerance if the appliance is deployed to a VMware hypervisor

D. deploy two HPE OneView appliances and configure then in HA mode

Correct Answer: A

QUESTION 8

DRAG DROP

For HPE Primera, match each task with the management tool that can be used to perform it.

Select and Place:

Correct Answer:

QUESTION 9

Which statement about an HPE OneView server profile is true?

A. A server profile can be used to update firmware and drivers when the operating system on the server is up and running

B. A server profile created for a specific server hardware type cannot be moved to a server with a different server hardware type

C. A server profile can be used to configure a local storage controller, but cannot be used to configure SAN-based storage

D. A server profile can be created only for HPE BladeSystem, HPE Synergy, and HPE Superdome Flex servers.

Correct Answer: C

QUESTION 10

Refer to the exhibit.

After adding SAN Manager to HPE OneView. you noticed that all SANs are in the discovered state. How will this affect HPE OneView storage management capabilities?

A. Snapshot functionality will be limited only to the volumes not using these SANs.

B. Volume presentation through server profile will work with the discovered state.

C. Auto-zoning functionality will not work until SANs are associated with networks.

D. Volume provisioning will only work for arrays that ate accessible through these SANs.

Correct Answer: B

QUESTION 11

You want to update the firmware for only two HPE Synergy Virtual Connect SE 32Gb FC Modules of a large environment. From which level must this procedure be initiated?

A. Logical Enclosure

B. Logical Interconnect

C. Server Profile

D. Logical Interconnect Group

Correct Answer: C

QUESTION 12

Which statement about managing an HPE BiaoeSystem sever is true?

A. A muiti-enclosure Vrtuai Connect domain can be imported to HPE OneView without disrupting servers

B. An HPE server blade can be removed trom HPE OneView by deleting the server from the Server Hardware section

C. An HPE server blade cannot be deleted from HPE OneView It must be physically removed from the enclosure

D. Both c3000 and C7000 HPE BladeSystems enclosures can be imported to HPE Oneview for monitoring

Correct Answer: B

QUESTION 13

Which components require an HPE OneView license for management?

A. HPE Virtual Connect modules

B. HPE Apollo XL 170r

C. Brocade and Cisco SAN Manager

D. HPE Primera and HPE 3PAR

Correct Answer: A

QUESTION 14

After replacing a failed Compute Module, you notice the server profile Is not automatically assigned to the replaced server hardware. What can cause this issue?

A. IL0 firmware of the replacement server is different than firmware in broken server.

B. Server profile affinity is configured to Device Day + server hardware.

C. The enclosure group has to be updated to match the original enclosure group.

D. The replacement server has more memory or CPUs than broken machine.

Correct Answer: A

QUESTION 15

DRAG DROP

For each feature. indicate whether it is available with both hpe oneview Standard and hpe oneview Advanced licenses, or only with an hpe oneview Advanced license.

Select and Place:

both standard and Advanced	Feature	License
only Advanced	Firmware management	
	Remote Support	
	Reporting	
	Smart Search, Activity view, Dashboard	

Correct Answer:

both standard and Advanced	Feature	License
only Advanced	Firmware management	only Advanced
	Remote Support	only Advanced
	Reporting	both standard and Advanced
	Smart Search, Activity view, Dashboard	both standard and Advanced

HPE2-T37 PDF Dumps   HPE2-T37 Practice Test   HPE2-T37 Study Guide