



# JN0-348<sup>Q&As</sup>

Enterprise Routing and Switching, Specialist

## Pass Juniper JN0-348 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-348.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What is the default BGP group type on a Junos device?

- A. internal
- B. external
- C. multihop
- D. null

Correct Answer: B

### QUESTION 2

Click the Exhibit button.

```
user@host> show route 0/0 exact detail
inet.0: 14 destinations, 14 routes (14 active, 0 holddown, 0 hidden)
0.0.0.0/0 (1 entry, 1 announced)
    *Aggregate Preference: 130
        Next hop type: Router, Next hop index: 546
        Next-hop reference count: 4
Next hop: 172.30.25.1 via ge-0/0/1.100, selected
State: <Active Int Ext>
Local AS: 65400
Age: 1:03:46
Task: Aggregate
Announcement bits (2): 0-KRT 2-OSPF
AS path: I
Flags: Generate Depth: 0 Active
Contributing Routes (1):
10.0.0.0/16 proto BGP
```

Referring to the output shown in the exhibit, which two statements are true?

- A. The route is active
- B. The route is not active
- C. The route is a generate route
- D. The route is an aggregate route

Correct Answer: AC



### QUESTION 3

What are three well-known mandatory BGP attributes? (Choose three.)

- A. community
- B. AS path
- C. local preference
- D. origin
- E. next hop

Correct Answer: BDE

---

### QUESTION 4

Which statement is correct about trunk ports?

- A. Trunk ports must have an IRB assigned to accept VLAN tagged traffic.
- B. By default, trunk ports accept only VLAN tagged traffic.
- C. By default, a trunk port can have only a single VLAN assigned.
- D. trunk ports must have an IRB assigned to accept untagged traffic.

Correct Answer: B

---

### QUESTION 5

Which statement is true about Layer 2 firewall filters on EX Series switches?

- A. They are stateful and evaluated by the forwarding plane.
- B. They are stateless and evaluated by the control plane.
- C. They are stateful and evaluated by the control plane.
- D. They are stateless and evaluated by the forwarding plane.

Correct Answer: D

---

### QUESTION 6

Which two statements describe NSR? (Choose two.)



- A. NSR requires GRES to function properly.
- B. NSR provides routing loop protection.
- C. NSR rapidly detects link failures.
- D. NSR provides high availability with multiple Routing Engines.

Correct Answer: AD

---

#### QUESTION 7

Which two port security features use the DHCP snooping database for additional port security? (Choose two.)

- A. dynamic ARP inspection
- B. MACsec
- C. IP Source Guard
- D. MAC learning

Correct Answer: AC

---

#### QUESTION 8

Click the Exhibit button.



```
[edit protocols bgp]
user@router# show
import add-community;
export next-hop-self;
group ISPs {
    type external;
    import local-pref;
    export adv-aggregate;
    neighbor 172.30.1.1 {
        peer-as 65100;
    }
    neighbor 172.30.2.1 {
        export adv-custom;
        peer-as 65200;
    }
}
group Internal-Peers {
    type internal;
    neighbor 192.168.110.10;
    neighbor 192.168.110.20;
}
```

Which statement is true about the configuration shown in the exhibit?

- A. Only the local-pref import policy will be evaluated when routes are learned from neighbor 172.30.1.1
- B. Only the add-community import policy will be evaluated when routes are learned from neighbor 172.30.1.1
- C. No import policy will be evaluated when routes are learned from neighbor 172.30.2.1
- D. Both the add-community and local-pref import policies will be evaluated when routes are learned from neighbor 172.30.2.1

Correct Answer: D



#### QUESTION 9

Which statement is correct about IS-IS link state PDUs?

- A. They are used to maintain link-state database synchronization.
- B. They are used to establish adjacencies.
- C. They are used to build the link-state database.
- D. They are used to determine whether the neighbors are Level 1 or Level 2.

Correct Answer: C

---

#### QUESTION 10

Which two statements are true about an EX2300 device? (Choose two.)

- A. By default, trunk ports can carry untagged traffic.
- B. By default, all switch ports are trunk ports.
- C. By default, all switch ports are access ports.
- D. By default, all switch ports are associated with the default VLAN.

Correct Answer: CD

---

#### QUESTION 11

Which device is used to separate collision domains?

- A. switch
- B. router
- C. hub
- D. firewall

Correct Answer: A

---

#### QUESTION 12

What are two interarea OSPF LSA types? (Choose two.)

- A. Type 1 router LSAs
- B. Type 3 summary LSAs



- C. Type 4 ASBR summary LSAs
- D. Type 2 network LSAs

Correct Answer: BC

### QUESTION 13

You are enabling dynamic ARP inspection on an EX4300 switch.


Which service is enabled by default in this scenario?

- A. DHCP snooping
- B. persistent MAC learning
- C. MAC limiting
- D. IP Source Guard

Correct Answer: A

### QUESTION 14

Click the Exhibit button.



Both the R1 and R2 devices are advertising prefix X into AS 65530 with the BGP attributes shown in the exhibit.

Which statement is correct in this scenario?

- A. R2's version of prefix X will be active because of the local preference attribute.



- B. R1's version of prefix X will be active because of the local preference attribute.
- C. R1's version of prefix X will be active because of the AS path attribute.
- D. R2's version of prefix X will be active because of the AS path attribute.

Correct Answer: D

---

#### QUESTION 15

Which two elements are used to create the STP bridge ID? (Choose two.)

- A. the root port number
- B. the bridge priority value
- C. the system MAC address
- D. the port cost

Correct Answer: BC

[Latest JN0-348 Dumps](#)

[JN0-348 VCE Dumps](#)

[JN0-348 Study Guide](#)