

JN0-450^{Q&As}

Mist AI Specialist (JNCIS-MistAI)

Pass Juniper JN0-450 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.passapply.com/jn0-450.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



QUESTION 1

Your team is asked to build a wireless network for an apartment building. The customer wants to have a single WLAN advertised, but still provide isolation between groups of users. In this scenario, which statement correctly describes the solution?

- A. A single key is generated to access multiple SSIDs with personal WLAN enabled
- B. Additional VLANs are required to segment the users.
- C. Multiple unique keys are generated to access a single SSID with personal WLAN enabled.
- D. Private VLANs are required to segment the users.

Correct Answer: C

Reference: https://www.mist.com/documentation/personal-wlans/

QUESTION 2

Where would you find the IP addresses that a client has used over the past 30 days?

- A. Client Insights
- B. Marvis Query Language
- C. Client Stats
- D. Site Insights

Correct Answer: A

Reference: https://www.mist.com/documentation/checking-the-activity-log-of-a-client/

QUESTION 3

Referring to the exhibit, what are two reasons why a Mist AP would have multiple IP addresses? (Choose two.)



Status	Connected
DHCP Server	10.10.10.1
IP Address (vlan1)	10.10.10.16/24,fe80:0:
IP Address (vlan100)	10.10.100.22/24,fe80:
Gateway	10.10.10.1
Primary DNS	8.8.8.8
Secondary DNS	
External IP Address	122.172.108.135
No. Clients	0
Uptime	3h
Last Seen	05:51:36 PM, Mar 27

- A. One IP address is used for control traffic and one address is used for management traffic.
- B. The Local Status Page is enabled in the site settings.
- C. One IP address is used for redundancy.
- D. A guest portal is configured on a tagged VLAN.

Correct Answer: BD

Reference: https://www.mist.com/documentation/aps-use-ip-addresses/

QUESTION 4

Which action would site-level network administrators be able to perform?

- A. create a config template
- B. modify an RF template
- C. reboot an access point

https://www.passapply.com/jn0-450.html


2024 Latest passapply JN0-450 PDF and VCE dumps Download

D. assign access points to the site

Correct Answer: C

QUESTION 5

A network engineer is looking to provision a new WLAN through the REST API. Referring to the exhibit, which HTTP method should the request use to achieve this goal?



A. POST

B. DELETE

C. GET

D. PUT

Correct Answer: A

Reference: https://www.mist.com/documentation/mist-api-introduction/

QUESTION 6

Which encryption protocol is used with WPA2?

A. AES

B. DES



C. RC4

D. RSA

Correct Answer: A

Reference: https://www.pandasecurity.com/en/mediacenter/security/wpa-vs- wpa2/#:~:text=WPA2%20is%

20an%20updated%20version,or%20not%20work%20at%20al I

QUESTION 7

Which statement about BLE advertisement and Wi-Fi interference is correct?

- A. BLE advertisements interfere with Wi-Fi channel 1.
- B. BLE advertisements interfere with Wi-Fi channel 36.
- C. BLE advertisements interfere with Wi-Fi channel 6.
- D. BLE advertisement does not interfere with Wi-Fi.

Correct Answer: D

Reference: https://www.mist.com/documentation/vble-impact-2-4-ghz-wifi/

QUESTION 8

Which three switch testing tools are available when using Wired Assurance? (Choose three.)

- A. bounce port
- B. iPerf
- C. ping
- D. load factory-default
- E. cable test

Correct Answer: ACE

Reference: https://www.mist.com/documentation/switch-testing-tools/

QUESTION 9

How is the WLAN affected if Wi-Fi 6 is disabled?

- A. The maximum theoretical data rate is reduced.
- B. No Wi-Fi 6 clients will be able to connect.



https://www.passapply.com/jn0-450.html

2024 Latest passapply JN0-450 PDF and VCE dumps Download

C. All clients will connect using Wi-Fi 5.

D. No 802. 11ax clients will be able to connect.

Correct Answer: D

Reference: https://www.mist.com/documentation/disable-wifi-6/

QUESTION 10

Which two components set Mist apart from legacy WLAN platforms? (Choose two.)

- A. centralized controller
- B. microservices
- C. Virtual Network Assistant
- D. decentralized controller

Correct Answer: BC

Reference: https://seccomglobal.com/wp-content/uploads/2021/08/mist-battlecard.pdf

QUESTION 11

How many MHz are used for each OFDM channel in the 2.4 GHz band?

A. 20

B. 11

C. 14

D. 3

Correct Answer: A

Reference: https://www.oreilly.com/library/view/ccna-wireless-640-722/9780133445725/ ch02lev3sec5.html

QUESTION 12

Which statement is correct about Marvis?

- A. Marvis handles the on-boarding process for WLANs using third-party APs.
- B. Marvis is a module that facilitates WLAN automation tasks using API information.
- C. Marvis is an AI engine that assists administrators with troubleshooting problems using AI.
- D. Marvis is the user interface used to manage virtual machines.



Correct Answer: C

Reference: https://www.juniper.net/us/en/products/cloud-services/virtual-network- assistant.html

QUESTION 13

What are two advantages of lower modulation methods? (Choose two.)

- A. Lower modulation provides higher total aggregate throughput.
- B. Lower modulation provides higher data rates.
- C. Lower modulation is more robust against signal corruption.
- D. Lower modulation can achieve greater range.

Correct Answer: CD

QUESTION 14

Which statement is correct about wireless assurance?

- A. Wireless assurance is a legacy WLAN construct that is difficult to use.
- B. Wireless assurance can be used to proactively optimize WLAN performance.
- C. Wireless assurance is used by clients to ensure that a Wi-Fi connection is stable and reliable before joining.
- D. Wireless assurance does not require a subscription.

Correct Answer: B

Reference: https://www.juniper.net/us/en/products/cloud-services/wi-fi-assurance.html

QUESTION 15

How should Mist AP43 access points be mounted for location-based services?

- A. table mounted (logo face up)
- B. horizontal (logo face down)
- C. vertical (wall mounted)
- D. above the ceiling tile (logo face up)

Correct Answer: B

Reference: https://www.mist.com/documentation/adding-ap-location/



JN0-450 PDF Dumps

JN0-450 Study Guide

JN0-450 Exam Questions