



JN0-451^{Q&As}

Mist AI - Specialist (JNCIS-MistAI)

Pass Juniper JN0-451 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/jn0-451.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What happens first when a client requests to join a WLAN?

- A. 802. 11 authentication
- B. ARP request
- C. 802.11 association
- D. DHCP discovery

Correct Answer: A

Reference: <https://netbeez.net/blog/how-wifi-connection-works/>

QUESTION 2

Which access points (APs) will be considered for inclusion in the AP Offline Marvis Action?

- A. all APs assigned to sites that have connected to the cloud previously
- B. all APs assigned to sites
- C. all APs in inventory
- D. all purchased APs

Correct Answer: B

Reference: <https://www.mist.com/documentation/whats-new-in-marvis-actions/>

QUESTION 3

Which two fields are required when creating a new site? (Choose two.)

- A. RF template
- B. site name
- C. location
- D. time zone

Correct Answer: BC

QUESTION 4

Click the Exhibit button.



Client Events

534 Total

435 Good

68 Neutral

31 Bad

DNS Failure

09:29:00.545 AM, Jun 22

DNS Failure

08:58:21.178 AM, Jun 22

Authorization Failure ⓘ

08:35:56.200 AM, Jun 22

Authorization Failure ⓘ

08:29:54.612 AM, Jun 22

DHCP Terminated

08:15:31.593 AM, Jun 22

DHCP Terminated ⓘ

05:10:17.995 AM, Jun 22

Authorization Failure

05:02:14.453 AM, Jun 22

DHCP Denied ⓘ

03:51:04.351 AM, Jun 22

Client

AP

BSSID

5c:5b:35:5c:fa:f1

RSSI

-66 dBm

SSID

Mist

Band

2.4 GHz

Description

Status code 79
"Transmission failure"

Download Packet Capture

Analyze Packet Capture

Referring to the exhibit, which statement is correct?

- A. The packet capture was taken automatically.
- B. The packet capture was taken manually.
- C. The packet capture will contain full frames.
- D. The packet capture will contain only management frames.

Correct Answer: C

QUESTION 5

What are two 802.11 MAC frame types? (Choose two.)

- A. control
- B. SSID
- C. management
- D. BSSID

Correct Answer: AC

QUESTION 6

You want to identify APs that are not associated with your network. However, the APs broadcast your corporate login page and WLAN name.

What does Mist use to identify APs in this scenario?

- A. a rogue AP
- B. a neighbor AP
- C. an approved AP



D. a honeypot AP

Correct Answer: A

QUESTION 7

A user with a PSK calls you and says, "The Wi-Fi worked for a week and now it does not work." There have not been any recent configuration changes to the network. You suspect that a time-based setting has reset the key. In this scenario, where would you begin troubleshooting?

- A. Site-level Pre-Shared Keys
- B. Organization-level Pre-Shared Keys
- C. WLAN-level Pre-Shared Keys
- D. RADIUS Pre-Shared Keys

Correct Answer: C

QUESTION 8

Click the Exhibit button.



LIVE DEMO

WED, 11:48 AM



Wireless /

Successful Connects

site Live-Demo

Today

Root Cause analysis Select a metric to analyze



Service Level Metrics

Time to Connect	97%
Successful Connects	37%
Coverage	98%
Roaming	80%
Throughput	94%
Capacity	90%
AP Health	90%

Classifiers

Association	0%
Authorization	100%
DHCP	0%
ARP	0%
DNS	0%

Statistics Timeline **Distribution** Affected Items Location

Distribution

Analyze service level failures by attribute. Attributes are sorted by most anomalous.

Access Points

WLANs

Device Types

Device OSs

Wireless Bands

Mist Edges

Server

Name	Overall Impact	Failure Rate	Anomaly	0	1x
LD_Testbed_MD	51%	100%	1.44x		
LD_RS_Support	46%	86%	1.24x		
LD_Kitchen-2	1%	8%	0.11x		
LD_Kitchen	1%	5%	0.07x		

Referring to the exhibit, which percentage of connection attempts failed on the access point named LD_RS_Support?

- A. 37
- B. 86
- C. 63
- D. 46

Correct Answer: B

QUESTION 9

Your organization has recently purchased new VoIP handsets. All of the VoIP handsets fail to connect to the corporate WLAN. However, all other devices connect successfully. You expect that there might be a bug with the new handsets. The vendor asks you to provide a pcap file of the handsets' connection attempts.

Which Juniper Mist feature will provide this file?

- A. Dynamic Packet Capture
- B. Service Level Expectations



- C. Clients Insights
- D. Alerts dashboard

Correct Answer: A

QUESTION 10

Which Wireless Assurance SLE provides information on Opportunistic Key Caching (OKC)?


- A. Time to Connect
- B. Roaming
- C. Coverage
- D. Capacity

Correct Answer: B

Reference: <https://www.mist.com/documentation/service-level-expectations-sle/>

QUESTION 11

Referring to the exhibit, what does the security alert indicate?

 **Rogue AP detected**

Reporting APs	d4:20:b0:02:18:a9
SSIDs	Linksys05406
Rogue BSSIDs	302303c4f44f

- A. An AP that is not part of the Mist Org is connected to the same wired network as the Mist APs.
- B. An AP that is not part of the Mist Org is launching a DDoS attack on the Mist APs.
- C. An AP that is not part of the Mist Org is advertising the same SSIDs as the Mist APs.
- D. An AP that is not part of the Mist Org is operating in the same RF channel as the nearby Mist AP.

Correct Answer: A



Reference: <https://www.mist.com/documentation/rogue-neighbor-honeypot-aps/>

QUESTION 12

You are deploying three WLAN 2.4 GHz networks in your US-based site. You must ensure that each network frequency is unique and does not overlap with the other frequency channels. In this scenario, which three OFDM channels should be used? (Choose three.)

- B. 1
- C. 3
- D. 6
- E. 13

Correct Answer: ABD

QUESTION 13

Click the Exhibit button.

Roles			Create Role
Name	Access	Site Access	
Post-Install	Observer	All Sites	

Referring to the exhibit, which statement is correct about the Post-Install user's role?

- A. It is used for help desk monitoring and workflow for all sites.
- B. It has access limited to installing APs and switches at all sites.
- C. It has read-only access to all sites.



D. It has full access to all sites.

Correct Answer: B

QUESTION 14

What is the AP's role in the IEEE 802.1X authentication process?

- A. It acts as an authenticator.
- B. It acts as a RADIUS proxy server.
- C. It acts as a supplicant.
- D. It acts as an authentication server.

Correct Answer: D

QUESTION 15

You are deploying multiple Mist APs across many sites in your network. You must ensure that you can group similar devices together to easily apply consistent WxLAN policies across multiple sites. Which configuration object should be used to accomplish this behavior?

- A. organization labels
- B. device profile
- C. RF template
- D. radio management

Correct Answer: A

[Latest JN0-451 Dumps](#)

[JN0-451 PDF Dumps](#)

[JN0-451 Braindumps](#)