



Planning and Configuring a Messaging Platform

Pass Microsoft MS-200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/ms-200.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





DRAG DROP

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers as shown in the following table.

Name	Database
EX01	MailDB1
EX02	MailDB2

EX01 fails. You do not know how long it will take to recover EX01.

You need to provide all affected users with the ability to send and receive email as quickly as possible.

How should you complete the PowerShell script? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view

content.

NOTE: Each correct selection is worth one point.

Select and Place:

Values	Answer Area	
New-MoveRequest	Name DTDB1 -Server EX02	
New-MailboxDatabase	Get-Mailbox -Database MailDB1	-Database DTDB1
New-MailboxRestoreRequest	-Identity DTDB1	_
Set-Mailbox	-Identity DTDB1	
Mount-Database		
Correct Answer:		
Values	Answer Area	
New-MoveRequest	New-MailboxDatabase Wame DTDB1 -Server EX02	
	Get-Mailbox -Database MailDB1 Set-Mailbox	-Database DTDB1
New-MailboxRestoreRequest	Mount-Database	

References: https://docs.microsoft.com/en-us/exchange/high-availability/disaster-recovery/dial-tone-recovery?view=exchserver-2019



Your network contains an Active Directory forest. The forest contains two domains named litware.com and exchange.litware.com and a Microsoft Exchange Server 2019 organization. The relevant servers are configured as shown in the following table.

Name	Operating system	Domain	Platform	Configuration
Server01	Windows Server 2019	Exchange.litware.com	Physical	Domain controller
Server02	Windows Server 2019	Litware.com	Physical	Member server
Server03	Windows Server 2016	Exchange litware.com	Physical	Member server
Server04	Windows Server 2019	Exchange.litware.com	Virtual	Member server
EX01	Windows Server 2019	Exchange.litware.com	Physical	Member server
EX02	Windows Server 2019	Exchange.litware.com	Physical	Member server

EX01 and EX02 have Exchange Server 2019 installed and are in a database availability group (DAG) named DAG01.

You need to add in additional server to DAG01.

Which server should you add?

A. Server01

B. Server02

C. Server03

D. Server04

Correct Answer: D

QUESTION 3

HOTSPOT

You have a Microsoft Exchange Server 2019 organization that uses an address space of fabrikam.com.

The organization contains the Send connectors shown in the following table.



Name	Address space	Cost	Message size limit	Smart host
Conn1	*	1 _8	50 MB	10.10.1.1
Conn2	Contoso.com	50	10 MB	10.10.1.5
Conn3	Adatum.com	10 10	25 MB	10.10.1.5
Conn4	*	100	10 MB	192.168.1.2

You need to identify what occurs when users send email to different external recipients. What should you identify? To answer, select the appropriate options in the answer area. NOTE: Each correct selection is worth one point.

Hot Area:

	m
A user sends a 25-MB email message to user1@contoso.com:	
	The message is delivered by using Conn1
	The message is delivered by using Conn2
	The message is delivered by using Conn3
	The message is delivered by using Conn4
69	The message is rejected.
000	
user sends a 20-MB email message to user1@adatum.com:	
and the second s	The message is delivered by using Conn1
all's	The message is delivered by using Conn2
dis	The message is delivered by using Conn3
	The message is delivered by using Conn4
	The message is rejected.
Answer Area	The message is delivered by using Conn1
Answer Area	The message is delivered by using Conn1 The message is delivered by using Conn2
Answer Area	The message is delivered by using Conn1 The message is delivered by using Conn2 The message is delivered by using Conn3
Answer Area	The message is delivered by using Conn1 The message is delivered by using Conn2 The message is delivered by using Conn3 The message is delivered by using Conn4
Answer Area	The message is delivered by using Conn1 The message is delivered by using Conn2 The message is delivered by using Conn3
	The message is delivered by using Conn1 The message is delivered by using Conn2 The message is delivered by using Conn3 The message is delivered by using Conn4 The message is rejected.

References: https://docs.microsoft.com/en-us/exchange/mail-flow/mail-routing/connector-selection?view=exchserver-2019

The message is delivered by using Conn2 The message is delivered by using Conn3 The message is delivered by using Conn4

The message is rejected.



You plan to deploy a Microsoft Exchange Server 2019 organization that will contain the servers shown in the following table.

Name	Active Directory site
EX01	Site1
EX02	Site2
EX03	Site2

The sites connect to each other by using a high-cost, slow WAN link. Each site also connects directly to the Internet.

You need to ensure that outgoing email to the Internet always uses a server in the local site.

What should you create?

- A. one Send connector that uses two smart hosts
- B. two Send connectors that use different smart hosts
- C. two scoped Send connectors that have the same namespace
- D. two Send connectors that have different namespaces

Correct Answer: C

QUESTION 5

You have a Microsoft Exchange Server 2019 organization.

Ten days ago, a user named User1 sent an email message to a user named User2.

User2 never received the message.

- You need to identify whether the message was delivered to User2.
- What should you run from Exchange Management Shell?
- A. Get-MessageTraceDetail
- B. Search-MessageTrackingReport
- C. Get-MessageTrackingReport
- D. Get-MessageTrace

References: https://docs.microsoft.com/en-us/powershell/module/exchange/mail-flow/get-messagetrackingreport?view=exchange-ps

Correct Answer: C



HOTSPOT

Your network contains an Active Directory forest. The forest contains the servers in the following table.

Name	Configuration	Domain	Site
DC01	Domain controller (schema master)	Litware.com	SiteA
EX01	Microsoft Exchange server	Litware.com	SiteA
DC02	Domain controller	Litware.com	SiteB
DC03 Domain controller (domain naming operations master)		Corp.litware.com	SiteB
EX02	Microsoft Exchange server	Corp.litware.com	SiteB
DC04	Domain controller	Dmz.litware.com	SiteC

The dmz.litware.com domain contains mail-enabled user accounts but does not contain any Exchange servers.

You plan to replace the existing Exchange servers with new servers that have Exchange Server 2019 installed.

You need to extend the schema and prepare the Active Directory domains.

What should you do? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:


Answer Area

	mo
Run setup /PrepareSchema ON	valle V
	EX01
Sea .	DC02 DC03
- 65 ⁵ 1	DC03
Domains in which you must run setup / Prepare Pomain after	
running setup (PrepareAD	Litware.com only
dis .	Corp.litware.com only
	Corp.litware.com and dmz.litware.com only
	Litware com corp litware com and dmz litware com

Correct Answer:



Answer Area



QUESTION 7

Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while

others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You have a Microsoft Exchange Server 2019 organization.

You discover that several weeks ago a mailbox administrator erroneously deleted a mailbox from a mailbox database named MailDB1. The mailbox was associated to a user named User1 and an email address of user1@contoso.com.

You verify that User1 still exists in Active Directory.

You need to verify whether the mailbox can be reconnected to User1.

Solution: You run the following command.

Get-MailboxDatabase | Get-MailboxStatistics | Where {\$_.DisconnectReason -eq "Disabled"} | Format-Table DisplayName, Database, DisconnectDate

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

References: https://docs.microsoft.com/en-us/Exchange/recipients/disconnected-mailboxes/restore-deleted-mailboxes?view=exchserver-2019



Note: This question is part of a series of questions that present the same scenario. Each question in the series contains a unique solution that might meet the stated goals. Some question sets might have more than one correct solution, while

others might not have a correct solution.

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

Your company has a Microsoft Exchange Server 2019 server named EX01. EX01 has the default Receive connectors. EX01 receives Internet email on port 25 from an appliance in the company\\'s perimeter network.

The company has an application named App1 that can only send email on port 25. The application administrator requests that you enable App1 to route email through EX01 for delivery.

You need to ensure that EX01 only accepts email from the appliance and App1.

Solution: You modify the remote IP address ranges of the default frontend Receive connector.

Does this meet the goal?

A. Yes

B. No

Correct Answer: A

References: https://docs.microsoft.com/en-us/exchange/mail-flow/connectors/receive-connectors?view=exchserver-2019

QUESTION 9

You have a Microsoft Exchange Server 2019 organization that contains four Mailbox servers. You are decommissioning a Mailbox server named EX01.

When you attempt to remove one of the mailbox databases from EX01, you receive a warning message that the database still contains mailboxes.

You run Get-Mailbox -Server EX01and confirm that all user mailboxes are hosted on other servers.

You need to remove the mailbox database.

What should you do first?

- A. Disable circular logging.
- B. Move the arbitration mailboxes to another server.
- C. Run eseutil /p.
- D. Stop the Microsoft Exchange Information Store service.

Correct Answer: B



You have a Microsoft Exchange Server 2019 organization that contains four Mailbox servers and one Edge Transport server. The organization supports hundreds of remote users.

You need to block offline access to Outlook on the web for all the users.

What should you do?

- A. Run the Set-OWMailboxPolicycmdlet and specify the -ExplicitLogonEnabled \$trueparameter
- B. Run the Set-OWMailboxPolicycmdlet and specify the -AllowOfflineOn NoComputers parameter
- C. On the Edge Transport server, run the Set-OwaVirtualDirectorycmdlet and specify the -AllowOfflineOn
- D. On each Mailbox server, run the Set-OwaVirtualDirectorycmdlet and specify the -ExternalURLs \$nullparameter.

Correct Answer: C

QUESTION 11

You plan to deploy Microsoft Exchange Server 2019.

You need to verify whether the Active Directory environment is prepared for the deployment.

What are two methods to verify whether the Active Directory environment is prepared? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

A. Use ADSI Edit.

- B. Run the Get-ExchangeServer cmdlet.
- C. Review the Exchange.Setup log.
- D. Run the Get-ADForest cmdlet.
- E. Run the dcdiag.exe command.

Correct Answer: AC

References: https://docs.microsoft.com/en-us/exchange/plan-and-deploy/prepare-ad-and-domains?view=exchserver-2019

QUESTION 12



You have a Microsoft Exchange Server 2019 organization.

You perform a Server Core installation of Windows Server 2019 on a server named EX05.

You need to deploy Exchange Server 2019 to EX05.

Which two components should you install before you can install Exchange Server 2019 on EX05? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

- A. Visual C++ Redistributable package for Microsoft Visual Studio 2013
- B. Microsoft Office Filter Pack
- C. Microsoft Report Viewer 2015 Runtime
- D. Windows Identity Foundation
- E. Unified Communications Managed API 4.0 Runtime

Correct Answer: AE

References: https://docs.microsoft.com/en-us/exchange/plan-and-deploy/prerequisites?view=exchserver-2019

Latest MS-200 Dumps

MS-200 PDF Dumps

MS-200 Practice Test



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.passapply.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of ourchase.

Money Back Guarantee



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © passapply, All Rights Reserved.