

NCP-5.15^{Q&As}

Nutanix Certified Professional - Multi cloud Infrastructure (NCP-MCI 5.15)

Pass Nutanix NCP-5.15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/ncp-5-15.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.passapply.com/ncp-5-15.html 2024 Latest passapply NCP-5.15 PDF and VCE dumps Download

QUESTION 1

What is the maximum number of tested and supported vDisks (including snapshots) that is a Nutanix cluster can maintain?				
A. 250,000				
B. 800,000				
C. 500,000				
D. 600,000				
Correct Answer: D				
Explanation: https://portal.nutanix.com/page/documents/details/?targetId=Web-Console-Guide-Prism-v58:app-system-maximums-r.html				
QUESTION 2				
A catastrophic failure occurs at the primary data center. A protection domain has been set up. All required data has been replicated to an offsite DR location.				
Which button should an administrator click on at the remote site\\'s protection domain to bring up the replicated VMs?				
A. Migrate				
B. Replicate				
C. Online				
D. Activate				

QUESTION 3

Correct Answer: D

An administrator manages a 4-block 16 node Nutanix cluster. One block experiences a Power Delivery Unit (PDU) failure. All nodes in that block power off. VMs on the affected nodes restart as expected. The cluster continues normal operation until power is restored.

Which Nutanix feature is responsible for maintaining operations in this scenario?

- A. IO Redirection
- B. Block Awareness
- C. Async Disaster Recovery
- D. Nutanix App Mobility Fabric

https://www.passapply.com/ncp-5-15.html

2024 Latest passapply NCP-5.15 PDF and VCE dumps Download

Correct Answer: B

QUESTION 4

Which Nutanix feature allows for a Less than 60 minutes RPO and leverages light weight snapshots (LWS)?

- A. Cloud Connect
- B. Nutanix Guest tools
- C. Near Sync D. Volume Group

Correct Answer: C

QUESTION 5

Which Mechanism that works by data striping and parity calculation?

- A. Compression
- B. Deduplication
- C. Erasure Coding

Correct Answer: C

QUESTION 6

A customer has a 4-node cluster running at 80% capacity. One node fails due to a motherboard issue.

What is the effect?

- A. The cluster continues to run but in a degraded state.
- B. Zeus becomes available after 60 minutes.
- C. Zeus becomes unavailable for 30 minutes.
- D. The cluster continues to run normally.

Correct Answer: A

QUESTION 7

An administrator finds that guest VMs are offline and storage is unavailable. The administrator needs to know if any process within the CVMs on the nutanix cluster are experiencing crashes.

Which log file should the administrator locate to determine if any processes have crashed?

VCE & PDF PassApply.com

https://www.passapply.com/ncp-5-15.html

2024 Latest passapply NCP-5.15 PDF and VCE dumps Download

A. ERROR logs		
B. INFO logs		
C. FATAL logs		

Correct Answer: C

D. WARN logs

QUESTION 8

Which type of data is distributed by Zookeeper to ensure availability in the case of node or block failure?

- A. User Data
- B. Metadata
- C. Configuration Data
- D. Snapshot Data

Correct Answer: C

QUESTION 9

An administrator wants to configure key based SSH access for an AOS 5.5 Implementation. Which three components can be secured using this method? (Choose three)

- A. The hypervisor host***
- B. prism element
- C. the CVM**
- D. Guest virtual machine
- E. The cluster **

Correct Answer: ACE

QUESTION 10

An administrator creates a new VM, but it cannot be accessed over the network. When the administrator opens a console in the VM dashboard, the guest OS seems to be configured correctly. However, it can only ping 127.0.0.x addresses.

What is the likely issue?

A. The VLAN configuration is incorrect.



https://www.passapply.com/ncp-5-15.html 2024 Latest passapply NCP-5.15 PDF and VCE dumps Download

- B. A volume group must be attached to the VM.
- C. Guest VM firewall is preventing outbound SSH connections.
- D. There is no network on the cluster.

Correct Answer: A

QUESTION 11

Clusters are configured with an http proxy server an administrator wants to deploy prism central

Which scenario require to the administrator to configure the http proxy whitelist method?

- A. http port 8000 not open in proxy
- B. ssl port 443 not pen in proxy
- C. http port 80 not open in proxy
- D. ssl port 9440 not open in proxy

Correct Answer: D

QUESTION 12

Which two capabilities does IPAM provide in a Nutanix networking configuration? (Choose two.)

- A. Allows proxy server settings to be set up for a defined network
- B. Allows AHV to assign IP addresses automatically to VMs using DHCP
- C. Configures a VLAN with an IP subnet and assigns a group of IP addresses
- D. Configures firewall rules to prevent or allow certain TCP/IP traffic

Correct Answer: BC

QUESTION 13

In a managed network, in which scenario will AHV use the last network IP address for the DHCP server?

- A. When setting a static IP address
- B. When not selecting Override DHCP server
- C. When changing the CIDR range
- D. When deleting the DHCP network

Correct Answer: D

https://www.passapply.com/ncp-5-15.html 2024 Latest passapply NCP-5.15 PDF and VCE dumps Download

QUESTION 14

An administrator is configuring data protection and DR for a multi-tier application. All VMs must be protected at the same time.

What must the administrator do to meet this requirement?

- A. Create a consistency group for each VM with identical schedules
- B. Create a consistency group for the application and place all VMs in it
- C. Create a protection domain for the application and select auto-protect related entities
- D. Create a protection domain for each VM with identical schedules

Correct Answer: B

QUESTION 15

In respective to 1 GbE and 10 GbE interfaces (physical host), which statements are true?

- A. Do not include the 1 GbE interlaces in the same bond as the 10 GbE interlaces. Also, to avoid loops, do not add the 1 GbE interlaces to bridge brO, either individually or in a second bond. Use them on other bridges.
- B. If you want to use the 1 GbE interfaces for guest VM connectivity, follow the hypervisor manulacturer\\'s switch \\'-- port and networking configuration guidelines.
- C. If you want to use the 10 GbE interfaces for guest VM traffic, make sure that the guest VMs do not use the VLAN over which the Controller VM and hypervisor communicate.

Correct Answer: AC

<u>Latest NCP-5.15 Dumps</u>

NCP-5.15 VCE Dumps

NCP-5.15 Exam Questions