



# NS0-193<sup>Q&As</sup>

NetApp Certified Support Engineer

## Pass NetApp NS0-193 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/ns0-193.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by NetApp  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

What is NVRAM used for when a node performs a takeover?

- A. The NVRAM contains all the outstanding write operations that were pending to the node that was taken over.
- B. The NVRAM contains only the metadata operations that were pending to the node that was taken over.
- C. The NVRAM contains only the Snapshot copies that were pending to the node that was taken over.
- D. The NVRAM contains all the outstanding read operations that were pending to the node that was taken over.

Correct Answer: D

---

### QUESTION 2

A client is attempting to mount a UNIX security style volume using NFSv4. The client receives the "permission denied" message, but mounting NFSv3 works fine. You have confirmed both NFSv4 and NFSv3 are allowed in the export policy.

Which statement describes this behavior?

- A. Extended groups for AUTH\_SYS are enabled.
- B. NFSv4 takes file permissions into account when mounting.
- C. There is no proper name-mapping rule for the user mounting.
- D. The export policy applied to the volume has superuser set to none.

Correct Answer: A

---

### QUESTION 3

Users are complaining about slow file access. You suspect that the ONTAP cluster is causing the problem. In this scenario, which ONTAP command would help you troubleshoot this problem?

- A. application show-statistics
- B. qos statistics volume latency show
- C. cluster log-forwarding show
- D. storage aggregate verify

Correct Answer: D

---

### QUESTION 4



Some users are unable to open certain files on an ONTAP SMB share. You verify that the users are able to open other files on the share.

Which action should you perform to troubleshoot this issue?

- A. Validate network connectivity from the users to the NetApp cluster.
- B. Check the share-level permissions.
- C. Check the access-based enumeration settings.
- D. Perform a security trace.

Correct Answer: B

Reference: [https://kb.netapp.com/app/answers/answer\\_view/a\\_id/1071815/~~/troubleshooting-cifs-or-smbaccess-denied-](https://kb.netapp.com/app/answers/answer_view/a_id/1071815/~~/troubleshooting-cifs-or-smbaccess-denied-)

---

#### QUESTION 5

Which statement is true about how ONTAP uses system memory?

- A. System memory is used as a read and write cache.
- B. System memory is used to protect local uncommitted writes against power failures.
- C. System memory is used as a read cache only.
- D. System memory is used to protect an HA partner's uncommitted writes against power failures.

Correct Answer: A

Reference: [https://kb.netapp.com/app/answers/answer\\_view/a\\_id/1003751/~~/how-does-data-ontap-utilizesystem-memory-for-read-and-write-caching%3F](https://kb.netapp.com/app/answers/answer_view/a_id/1003751/~~/how-does-data-ontap-utilizesystem-memory-for-read-and-write-caching%3F)

---

#### QUESTION 6

Which routing protocol is required for virtual IP (VIP) LIFs?

- A. Open Shortest Path First (OSPF)
- B. Border Gateway Protocol (BGP)
- C. Intermediate System to Intermediate System (IS-IS)
- D. Routing Information Protocol (RIP)

Correct Answer: B

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-nmg%2FGUIDA8EF6D34-1717-4813-BBFA-AA33E104CF6F.html>

---



### QUESTION 7

Click the Exhibit button.

```

alphanal::> volume show -vserver lab-fs2
Vserver    Volume          Aggregate      State    Type    Size    Available Used%
-----
lab-fs2    lab_fs2_root    aggr1_01      online  RW      1GB     970.9MB  5%
lab-fs2    lab_fs2_root_ls01
           aggr1_01      online  LS      1GB     970.9MB  5%
lab-fs2    lab_fs2_root_ls02
           aggr1_02      online  LS      1GB     970.9MB  5%
lab-fs2    projectX        aggr1_02      online  RW      100GB   95.00GB  5%
lab-fs2    public          aggr1_01      online  RW      50GB    25.00GB  50%
5 entries were displayed.

alphanal::> vserver cifs share show -vserver lab-fs2
Vserver    Share    Path    Properties    Comment    ACL
-----
lab-fs2    admin$   /       browsable    -          -
lab-fs2    c$       /       oplocks      -          BUILTIN\Administrators /
Full Control

lab-fs2    ipc$     /       browsable    -          -
lab-fs2    projectX /projectX
           oplocks    -          Everyone / Full Control
           browsable
           changenotify
           show-previous-versions

lab-fs2    public   /public
           oplocks    -          Everyone / Full Control
           browsable
           changenotify
           show-previous-versions

5 entries were displayed.

alphanal::> vserver export-policy rule show -vserver lab-fs2
There are no entries matching your query.

```

You create a new CIFS share named projectX. Users are unable to see the new share. However, they can see and access the existing share named public.

Referring to the exhibit, what should you do to allow users to access the new projectX share?

- A. Move the projectX volume to aggr1\_01.
- B. Modify the projectX share permissions to allow access.
- C. Create an export policy rule to allow access.
- D. Update the load sharing mirror set.

Correct Answer: C

### QUESTION 8

A customer reported an issue that requires more detailed diagnosis than what is provided in an AutoSupport message.



The NetApp technical support engineer asked the customer to send a support bundle.

In this scenario, which NetApp tool would satisfy this request?


- A. OnCommand Shift
- B. OnCommand Cloud Manager
- C. OnCommand Unified Manager
- D. OnCommand System Manager

Correct Answer: C

Reference: <https://docs.netapp.com/ocum-95/index.jsp?topic=%2Fcom.netapp.doc.onc-um-ag%2FGUID78B94C94-4B05-449E-BCFE-9249F16ED9A5.html>

### QUESTION 9

Click the Exhibit button.



Referring to the exhibit, if Node loses power, what are two nodes where epsilon would move? (Choose two.)

- A. Node D
- B. Node
- C. Node A
- D. Node C

Correct Answer: CD

### QUESTION 10

Click the Exhibit button.



```
fas3070-ams> df -h unix
```

Filesystem	total	used	avail	capacity	Mounted on
/vol/unix/	90GB	32GB	57GB	36%	/vol/unix/
/vol/unix/.snapshot	10GB	20GB	0GB	200%	/vol/unix/.snapshot

A customer noticed that data in volume Snapshot copies was using 200% of the total space allocated to the Snapshot reserve. The configured value of the Snapshot reserve is 10%. The customer wants to maintain the current number of Snapshot copies consuming below 100% of the Snapshot reserve.

Referring to the exhibit, which action would satisfy the customer's requirement?

- A. Increase the volume size by 50 GB.
- B. Set the volume's fractional reserve to 0.
- C. Move the Snapshot copies to another volume.
- D. Set the Snapshot reserve to 25%.

Correct Answer: D

[Latest NS0-193 Dumps](#)

[NS0-193 Practice Test](#)

[NS0-193 Study Guide](#)