



P9530-039^{Q&As}

IBM WebSphere MQ Technical Sales Mastery Test v2

Pass IBM P9530-039 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/p9530-039.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

In what situation will you benefit from the use of multi instance queue managers?

- A. You would like to replace an HA coordinator
- B. You would like to your System IP address assumed at Queue Manager fail over
- C. You would like active/stand by Queue Manager fail over support
- D. You would like higher throughput with work load management of multiple instances of queues

Correct Answer: C

QUESTION 2

To write a message to a WebSphere MQ v7 queue, which of the following MQI API calls is NOT a required step of the application programming code?

- A. MQCONNM
- B. MQPUT
- C. MQSET
- D. MQOPEN

Correct Answer: C

QUESTION 3

What is the name of the MQMD field that a message producer uses to ensure that no consumers receive a message after a message has been on a destination queue for a specified period of time?

- A. Timeout
- B. Expiry
- C. TimeToLive
- D. MaxAge

Correct Answer: B

QUESTION 4

What is required for WebSphere MQ v7 to support publish-subscribe messaging?

- A. A queue manager



- B. A publish-subscribe broker that has the same name as the queue manager
- C. A separate broker process that is associated with each queue manager
- D. A SupportPac is available to provide publish-subscribe functionality

Correct Answer: A

QUESTION 5

In order to run MQv7 on a distributed platform with earlier versions of WebSphere MQ running on the same physical server, what must you do?

- A. This configuration is not allowed.
- B. Install MQv7 into a different directory than previous versions.
- C. Map listeners to different ports.
- D. Both B and C.

Correct Answer: A

QUESTION 6

If the solution designer wishes to ensure that subscribing MQ applications receive message from a topic even if the subscribing MQ application is disconnected from the queue manager at the time the message is published, which action is required?

- A. The publishing application must set the message as persistent.
- B. The subscribing application must set the message as persistent.
- C. The publishing application must set the subscription as durable.
- D. The subscribing application must set the subscription as durable.

Correct Answer: D

QUESTION 7

In a distributed queuing architecture, where does the local queue manager store messages until it is ready to send them to the remote queue manager?

- A. In a relational database
- B. In a remote channel queue
- C. In a remote queue definition
- D. In a transmission queue



Correct Answer: D

QUESTION 8

Which statement is TRUE regarding WebSphere MQ and message routing?

- A. WebSphere MQ will look for a consumer name in the message description (MQMD) header.
- B. WebSphere MQ does not route based on the contents of the message body.
- C. You can write an XPATH expression to tell WebSphere MQ how to route the message to the appropriate consumer.
- D. WebSphere MQ will examine the message properties and route it to the appropriate consumer.

Correct Answer: B

QUESTION 9

Which of the following is NOT a valid method of administration for WebSphere MQ v7?

- A. WebSphere MQ Explorer
- B. Integrated Solutions Console
- C. Command-line
- D. PCF commands

Correct Answer: B

QUESTION 10

What is the holding queue for messages that cannot be delivered to the destination queues?

- A. Dead-letter queue
- B. Backout queue
- C. Transmission queue
- D. Undeliverable messages are simply discarded from the system

Correct Answer: A

[P9530-039 VCE Dumps](#)

[P9530-039 Study Guide](#)

[P9530-039 Exam Questions](#)