



PL-500^{Q&As}

Microsoft Power Automate RPA Developer

Pass Microsoft PL-500 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/pl-500.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

HOTSPOT

You develop automation solutions for a company.

You need to configure variables for a cloud flow solution.

Which types of variables should you use for each type of data? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



Requirement	Variable type
Store a list of names in JSON format.	<ul style="list-style-type: none">ObjectFloatIntegerArray
Store the URL for a website.	<ul style="list-style-type: none">ObjectStringFloatIntegerArray
Store a date using the following pattern: yyyy-MM-dd.	<ul style="list-style-type: none">ObjectStringFloatIntegerArray
Store a price for a product.	<ul style="list-style-type: none">ObjectStringFloatIntegerArray

Correct Answer:



Requirement	Variable type
Store a list of names in JSON format.	<ul style="list-style-type: none">ObjectFloatIntegerArray
Store the URL for a website.	<ul style="list-style-type: none">ObjectStringFloatIntegerArray
Store a date using the following pattern: yyyy-MM-dd.	<ul style="list-style-type: none">ObjectStringFloatIntegerArray
Store a price for a product.	<ul style="list-style-type: none">ObjectStringFloatIntegerArray

QUESTION 2

You need to resolve the issue with the DataCollector flow.

What are two possible ways to achieve the goal? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point

A. Add an If web page contains action to determine whether a field exists and write data only when true.



- B. Configure the Populate text field on a web page actions to continue running the flow in case of error.
- C. Replace the Populate text field on a web page action with the Send keys action to write data.
- D. Remove the Focus text field on a web page actions that precede actions which write data to text fields.
- E. Modify selectors to ensure that field attributes are mapped correctly.

Correct Answer: AE

According to the scenario, the DataCollector flow sometimes fails because some fields on web pages are missing or have different attributes than expected. To resolve this issue, you can use one of these two methods:

1.

Add an If web page contains action before each Populate text field on a web page action to determine whether a field exists on the web page and write data only when true. This way, you can avoid errors caused by missing fields.

2.

Modify selectors for each Populate text field on a web page action to ensure that field attributes are mapped correctly and match those on web pages. This way, you can avoid errors caused by mismatched attributes.

QUESTION 3

You create several desktop flows. Each flow will run on a single user's device.

You need to determine how Power Automate will orchestrate the flows.

Which three rules will Power Automate apply? Each correct answer presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. All the flows are run simultaneously.
- B. The first flow runs on the target device based on the priority and the time requested.
- C. The remaining flows are queued.
- D. The first flow runs on the target device based on Next to run status and time requested.
- E. The next flow will run when each run completes based on the priority and the time requested.
- F. The first and last flows run based on the priority and the time requested.

Correct Answer: BCE

QUESTION 4

You are creating a cloud flow that will use two Update Row actions to interact with Microsoft Dataverse. Neither of these actions are dependent on each other.



You must minimize the amount of processing time required to complete the flow.

You need to implement the actions in the cloud flow.

Solution: Create two sequential Update Row actions.

Does the solution meet the goal?

A. Yes

B. No

Correct Answer: B

QUESTION 5

DRAG DROP

A company plans to implement AI models to perform business processes.

You need to determine whether to use prebuilt or custom AI models.

Which type of model should you use for each scenario? To answer, drag the appropriate model types to the correct scenarios. Each model may be used once, more than once, or not at all. You may need to drag the split bar between panes or

scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

The screenshot shows a drag-and-drop interface with three columns:

- Model types:** Contains two buttons: "Prebuilt" and "Custom".
- Scenario:** Contains four text boxes:
 - Extract information from a receipt.
 - Detect spam emails.
 - Identify the language used in a text document.
 - Extract information from tax documents.
- Model type:** Contains four empty boxes, each labeled "Model type".

Correct Answer:



Model types	Scenario	Model type
Prebuilt	Extract information from a receipt.	Custom
Custom	Detect spam emails.	Custom
	Identify the language used in a text document.	Prebuilt
	Extract information from tax documents.	Custom

QUESTION 6

You are developing a solution for a medical practice. The solution must use an artificial intelligence (AI) model to evaluate medical X-ray images and detect broken bones.

You need to create the AI model for the solution.

Solution: Use Azure Computer Vision to create the model.

Does the solution meet the goal?

A. Yes

B. No

Correct Answer: A

QUESTION 7

HOTSPOT

You are developing a cloud flow.

You write expressions for the following JSON object. (Line numbers are included for reference only.)



```
01 {  
02   "customerNumber": 10091,  
03   "customerPhones": [  
04     "011-2345213",  
05     "0114456129"  
06   ]  
07 }
```

The flow parses JSON data by using the following schema; For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Hot Area:

Statements	Yes	No
The expression <code>empty(body('Parse_JSON')['customerName'])</code> returns true.	<input type="radio"/>	<input type="radio"/>
The expression <code>concat(body('Parse_JSON').customerName, ': ', body('Parse_JSON').customerNumber)</code> returns 10091.	<input type="radio"/>	<input type="radio"/>
The expression <code>equals(body('Parse_JSON')?.customerPhones[2], '')</code> returns true.	<input type="radio"/>	<input type="radio"/>
The expression <code>int(body('Parse_JSON')?['customerPhones']?[1])</code> returns 114456129.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

Statements	Yes	No
The expression <code>empty(body('Parse_JSON')['customerName'])</code> returns true.	<input checked="" type="radio"/>	<input type="radio"/>
The expression <code>concat(body('Parse_JSON').customerName, ': ', body('Parse_JSON').customerNumber)</code> returns 10091.	<input checked="" type="radio"/>	<input type="radio"/>
The expression <code>equals(body('Parse_JSON')?.customerPhones[2], '')</code> returns true.	<input checked="" type="radio"/>	<input type="radio"/>
The expression <code>int(body('Parse_JSON')?['customerPhones']?[1])</code> returns 114456129.	<input type="radio"/>	<input checked="" type="radio"/>



QUESTION 8

You are creating a cloud flow that will use two Update Row actions to interact with Microsoft Dataverse. Neither of these actions are dependent on each other. You must minimize the amount of processing time required to complete the flow.

You need to implement the actions in the cloud flow.

Solution: Create a do until loop.

Does the solution meet the goal?

A. Yes

B. No

Correct Answer: B

QUESTION 9

HOTSPOT

You are developing a cloud flow.

The flow must be able to query several Azure endpoints and must use standard actions where possible.

You need to configure the flow.

Which actions should you use? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:



Requirement	Action
Issue POST requests to the Microsoft Graph API by using application permissions.	HTTP HTTP with Azure AD Send an HTTP request to SharePoint Office 365 groups send an HTTP request
Issue GET requests to the Microsoft Graph API by using delegated permissions.	HTTP HTTP with Azure AD Send an HTTP request to SharePoint Office 365 groups send an HTTP request
Issue POST requests to Office 365 Management APIs by using delegated permissions.	HTTP HTTP with Azure AD Send an HTTP request to SharePoint Office 365 groups send an HTTP request
Issue GET requests to the SharePoint REST API by using delegated permissions.	HTTP HTTP with Azure AD Send an HTTP request to SharePoint Office 365 groups send an HTTP request
Issue POST requests to SharePoint REST API by using application permissions.	HTTP HTTP with Azure AD Send an HTTP request to SharePoint Office 365 groups send an HTTP request

Correct Answer:



Requirement	Action
Issue POST requests to the Microsoft Graph API by using application permissions.	HTTP HTTP with Azure AD Send an HTTP request to SharePoint Office 365 groups send an HTTP request
Issue GET requests to the Microsoft Graph API by using delegated permissions.	HTTP HTTP with Azure AD Send an HTTP request to SharePoint Office 365 groups send an HTTP request
Issue POST requests to Office 365 Management APIs by using delegated permissions.	HTTP HTTP with Azure AD Send an HTTP request to SharePoint Office 365 groups send an HTTP request
Issue GET requests to the SharePoint REST API by using delegated permissions.	HTTP HTTP with Azure AD Send an HTTP request to SharePoint Office 365 groups send an HTTP request
Issue POST requests to SharePoint REST API by using application permissions.	HTTP HTTP with Azure AD Send an HTTP request to SharePoint Office 365 groups send an HTTP request

QUESTION 10

You are preparing to share a desktop flow. You need to share the flow with another user. Which two methods can you use? Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Share the desktop flow by using the Microsoft Power Platform admin center.
- B. Share the desktop flow by using the Power Automate portal. Grant the user permissions to access the flow.
- C. Export a solution that contains the desktop flow and provide the solution to the user.
- D. Create a managed solution that contains the desktop flow and share the solution with another user.

Correct Answer: BC

QUESTION 11



DRAG DROP

You deploy a cloud flow to a production environment. You make changes to the cloud flow in a development environment

You import the updated solution to the production environment. You observe that the cloud flow is not updated.

You need to resolve the issue.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Select and Place:

The screenshot shows a drag-and-drop interface. At the top, there is a section titled "Actions" with a list of seven items in light blue boxes:

- Remove all dependencies.
- Show solution layers.
- Select the cloud flow that was upgraded.
- Show dependencies.
- Remove all unmanaged layers.
- In the production environment, navigate to the solution contents.
- In the development environment, navigate to the solution contents.

Below the "Actions" list is a section titled "Answer Area" with a blue background. It contains four empty green rectangular boxes for placing the selected actions in the correct sequence.

Correct Answer:



Actions

Remove all dependencies.

Show dependencies.

In the development environment, navigate to the solution contents.

Answer Area

In the production environment, navigate to the solution contents.

Select the cloud flow that was upgraded.

Show solution layers.

Remove all unmanaged layers.

QUESTION 12

You have an automation solution that uses a desktop flow. The flow reads data from a file that is stored on a user's machine and writes the data to an application. You import the solution to an environment that is connected to another user's

machine.

The user reports that the flow fails. An alert indicates that the path to a file does not exist.

You confirm that the file present on the user's desktop.

You need to resolve the issue.



What should you do?

- A. Use the Get Windows environment variable action to read the USERNAME environment variable and use the value in the path to the user\'s desktop.
- B. Change access rights for the file to allow read operations for the PAD process.
- C. Move the file to the user\'s OneDrive storage.
- D. Change the access rights for the file to allow read operations for the current user.

Correct Answer: A

QUESTION 13

You must create new flows within a solution and import existing flows into the solution. You need to configure the solution.

Which three actions can you perform?

Each correct answer presents a complete solution. NOTE: Each correct selection is worth one point.

- A. Create the flows within the solution to automatically create connection references.
- B. Add credential information to each connection reference.
- C. Modify each trigger and action when you add a flow into the solution to use connection references instead of connections.
- D. Select connections for connection references when you import solutions into an environment
- E. Add an existing connection reference into the solution in the same environment.

Correct Answer: ACD

QUESTION 14

DRAG DROP

A user is evaluating the capabilities of both process mining and task mining.

You need to determine when you should use process mining or task mining.

Which Process advisor capability should you use? To answer, drag the appropriate capabilities to the correct requirements. Each capability may be used once, more than once, or not at all. You may need to drag the split bar between panes

or scroll to view content.



NOTE: Each correct selection is worth one point.

Select and Place:

Capabilities	Requirement	Capability
<input type="text" value="Process mining"/>	See the actual steps used to perform a process.	<input type="text" value="Capability"/>
<input type="text" value="Task mining"/>	Reduce process time by evaluating event data from a system of record.	<input type="text" value="Capability"/>
	Understand what employees do while performing each task.	<input type="text" value="Capability"/>
	Identify the most common actions based on user interactions.	<input type="text" value="Capability"/>

Correct Answer:

Capabilities	Requirement	Capability
<input type="text" value="Process mining"/>	See the actual steps used to perform a process.	<input type="text" value="Process mining"/>
<input type="text" value="Task mining"/>	Reduce process time by evaluating event data from a system of record.	<input type="text" value="Task mining"/>
	Understand what employees do while performing each task.	<input type="text" value="Process mining"/>
	Identify the most common actions based on user interactions.	<input type="text" value="Task mining"/>

QUESTION 15

HOTSPOT

You are creating a custom selector for a Microsoft Excel workbook by using a Power Automate desktop flow.



Selector builder

Selectors	Used	Attribute	Operator	Value
2 <input checked="" type="checkbox"/> Pane 'Budget2022'	<input checked="" type="checkbox"/>	Class	Equal to	XLDESK
3 <input checked="" type="checkbox"/> Pane 'Sheet Budget'	<input type="checkbox"/>	Enabled	Equal to	True
4 <input checked="" type="checkbox"/> DataGrid 'Grid'	<input type="checkbox"/>	Id	Equal to	
5 <input checked="" type="checkbox"/> Table 'BudgetData'	<input type="checkbox"/>	Name	Equal to	
6 <input checked="" type="checkbox"/> Data Item "'A' 3'	<input type="checkbox"/>	Ordinal	Equal to	-1
	<input type="checkbox"/>	Process	Equal to	EXCEL

```
> pane[Class="XLDESK"] > pane[Class="ExcelGrid"][Id$="Budget2022.xlsx"] > pane[id@="Budget[0-9]**"] > datagrid [Id="Grid"] > table[Name^="BudgetData"] > dataitem[id="%A'+RowIdx%"]
```

Custom
Update
Cancel

Hot Area:

Questions	Response
A user accidentally changes the name of the Microsoft Excel file to Final_Budget2022.xlsx . Will the selector still work?	<input type="radio"/> Yes <input type="radio"/> No
A Microsoft Excel file contains a worksheet with the name Budget . Will the selector be able to find the worksheet?	<input type="radio"/> Yes <input type="radio"/> No
Which value will be extracted by using this selector?	<input type="radio"/> The value from cell A3. <input type="radio"/> The value of a cell where the ID equals ARowIdx. <input type="radio"/> The value of any cell defined by RowIdx variable in column A. <input type="radio"/> The value of any cell defined by the ARowIdx variable in column A.
A user needs to change the name of a table to Budget2022 in a sheet. Which part of the selector must the user modify?	<input type="radio"/> Update both the pane ID in line 3 and table name in line 5. <input type="radio"/> Update the pane ID in line 3. <input type="radio"/> Update the table name in line 5.

Correct Answer:



Questions	Response
A user accidentally changes the name of the Microsoft Excel file to Final_Budget2022.xlsx . Will the selector still work?	<input type="radio"/> Yes <input checked="" type="radio"/> No
A Microsoft Excel file contains a worksheet with the name Budget . Will the selector be able to find the worksheet?	<input checked="" type="radio"/> Yes <input type="radio"/> No
Which value will be extracted by using this selector?	<input type="radio"/> The value from cell A3. <input type="radio"/> The value of a cell where the ID equals ARowIdx. <input checked="" type="radio"/> The value of any cell defined by RowIdx variable in column A. <input type="radio"/> The value of any cell defined by the ARowIdx variable in column A.
A user needs to change the name of a table to Budget2022 in a sheet. Which part of the selector must the user modify?	<input type="radio"/> Update both the pane ID in line 3 and table name in line 5. <input type="radio"/> Update the pane ID in line 3. <input checked="" type="radio"/> Update the table name in line 5.

[Latest PL-500 Dumps](#)

[PL-500 Practice Test](#)

[PL-500 Braindumps](#)