



# SC-400<sup>Q&As</sup>

Microsoft Information Protection Administrator

## Pass Microsoft SC-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/sc-400.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





**QUESTION 1**

**HOTSPOT**

You have a Microsoft 365 E5 subscription that contains a user named User1 and the groups shown in the following table.

Name	Type
Group1	Microsoft 365
Group2	Security

You have the Compliance Manager improvement action shown in the following exhibit.

Compliance Manager > Improvement actions > Enable self-service password reset

E

### Enable self-service password reset

Save Cancel

---

**Overview**

**Details**

<b>Implementation Status</b> Not implemented	<b>Test Status</b> Failed high risk
<b>Points achieved</b> 0 / 27	<b>Group</b> Default Group
<b>Managed by</b> Your organization	<b>Action scope</b> Tenant
<b>Action type</b> Technical	<b>Products</b> Microsoft 365
<b>Documents</b> 0	<b>Assigned to</b> None <a href="#">Assign action</a>

**Testing Source**

Manual

**Implementation** | Testing | Standards and Regulations | Documents

**Implementation status**  
● Not implemented

**Implementation date**  
Not Available

**Implementation notes**  
This action hasn't been implemented yet. Refer to the implementation instructions for this action.  
[Edit implementation details](#)

**How to implement**  
Microsoft recommends that your organization enable self-service password reset to allow users who have either forgotten their password or whose account has been locked out as a result of malicious attempts, using an alternate factor to reset their password without the assistance of the help desk.

**How to Use Microsoft Solutions to Implement**  
Your organization can use Azure Active Directory (Azure AD) to give users the ability to change or reset their password with no administrator or help desk involvement. Select **Launch Now** to enable Self-Service Password Reset (SSPR) by selecting "All" or "Selected" on the "Properties" page to determine applicable users.

[Launch Now](#)

**Learn More**  
Let users reset their own passwords in Office 365  
How it works: Azure Active Directory self-service password reset

Use the drop-down menus to select the answer choice that completes each statement based on the information presented in the graphic. NOTE: Each correct selection is worth one point.

Hot Area:



**Answer Area**

The Enable self-service password reset improvement action can be assigned to **[answer choice]**.

User1 only
Group1 only
User1 and Group1 only
Group1 and Group2 only
User1, Group1, and Group2

Twenty-four hours after self-service password reset (SSPR) is enabled for all users, Points achieved will be **[answer choice]**.

0 / 27
1 / 27
2 / 27
5 / 27
27 / 27

Correct Answer:

**Answer Area**

The Enable self-service password reset improvement action can be assigned to **[answer choice]**.

User1 only
Group1 only
User1 and Group1 only
Group1 and Group2 only
User1, Group1, and Group2

Twenty-four hours after self-service password reset (SSPR) is enabled for all users, Points achieved will be **[answer choice]**.

0 / 27
1 / 27
2 / 27
5 / 27
27 / 27

**QUESTION 2**

You have a Microsoft 365 E5 tenant that uses a domain named contoso.com.

A user named User1 sends link-based, branded emails that are encrypted by using Microsoft Office 365 Advanced Message Encryption to the recipients shown in the following table.

Name	Email address
Recipient1	Recipient1@contoso.com
Recipient2	Recipient2@fabrikam.onmicrosoft.com
Recipient3	Recipient3@outlook.com
Recipient4	Recipient4@gmail.com



For which recipients can User1 revoke the emails?

- A. Recipient4 only
- B. Recipient1 only
- C. Recipient1, Recipient2, Recipient3, and Recipient4
- D. Recipient3 and Recipient4 only
- E. Recipient1 and Recipient2 only

Correct Answer: A

Reference: <https://docs.microsoft.com/en-us/microsoft-365/compliance/revoke-ome-encrypted-mail?view=o365-worldwide>

---

### QUESTION 3

Your company has a Microsoft 365 tenant that uses a domain named contoso.com.

The company uses Microsoft Office 365 Message Encryption (OME) to encrypt email sent to users in fabrikam.com.

A user named User1 erroneously sends an email to user2@fabrikam.com.

You need to prevent user2@fabrikam.com from accessing the email.

What should you do?

- A. Run the Get-MessageTrace cmdlet.
- B. Run the Set-OMEMessageRevocation cmdlet.
- C. Instruct User1 to delete the email from her Sent Items folder from Microsoft Outlook.
- D. Run the New-ComplianceSearchAction cmdlet.
- E. Instruct User1 to select Remove external access from Microsoft Outlook on the web.

Correct Answer: B

---

### QUESTION 4

You are evaluating the technical requirements for the DLP reports. Which user can currently view the DLP reports?

- A. Admin4
- B. Admin1
- C. Admin5



D. Admin2

E. Admin3

Correct Answer: E

### QUESTION 5

#### HOTSPOT

You have a Microsoft 365 E5 subscription that uses Microsoft Teams and contains the users shown in the following table.

Name	Team membership
User1	Team1, Team2
User2	Team2

You have the retention policies shown in the following table.

Name	Location	Included	Retain items for	Start retention period	At the end of retention period
Policy1	Microsoft Teams channel messages	All teams	7 years	When items are created	Delete items automatically
	Microsoft Teams chats	User1			
Policy2	Microsoft Teams channel messages	Team1	5 years	When items are created	Delete items automatically
	Microsoft Teams chats	User2			

The users perform the actions shown in the following table.

User	Location	Action
User1	Team1 channel	Edits a message
User2	Private 1:1 chat with User1	Sends a message to User1
User1	Team2 channel	Deletes a message

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Hot Area:



### Answer Area

Statements	Yes	No
The message edited by User1 will be deleted after five years.	<input type="radio"/>	<input type="radio"/>
User1 can see the message sent by User2 for up to seven years.	<input type="radio"/>	<input type="radio"/>
The message deleted by User1 will be moved to the SubstrateHolds folder.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

### Answer Area

Statements	Yes	No
The message edited by User1 will be deleted after five years.	<input type="radio"/>	<input checked="" type="radio"/>
User1 can see the message sent by User2 for up to seven years.	<input type="radio"/>	<input checked="" type="radio"/>
The message deleted by User1 will be moved to the SubstrateHolds folder.	<input checked="" type="radio"/>	<input type="radio"/>

### QUESTION 6

After you answer a question in this section, you will NOT be able to return to it. As a result, these questions will not appear in the review screen.

You recently discovered that the developers at your company emailed Azure Storage keys in plain text to third parties.

You need to ensure that when Azure Storage keys are emailed, the emails are encrypted.

Solution: You create a data loss prevention (DLP) policy that has all locations selected.

Does this meet the goal?

A. Yes

B. No

Correct Answer: B

### QUESTION 7



### HOTSPOT

You use project codes that have a format of three alphabetical characters that represent the project type, followed by three digits, for example Abc123.

You need to create a new sensitive info type for the project codes.

How should you configure the regular expression to detect the content? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

### Answer Area

(\s)( 

▼
[aA]{3}
[abc]{3}
[alpha]{3}
[a-zA-Z]{3}

 \ 

▼
d{000-999}
d{123}
d{3}

 ) (\s)

Correct Answer:

### Answer Area

(\s)( 

▼
[aA]{3}
[abc]{3}
[alpha]{3}
[a-zA-Z]{3}

 \ 

▼
d{000-999}
d{123}
d{3}

 ) (\s)

Reference: <https://joanneklein.com/2018/08/07/build-and-use-custom-sensitive-information-types-in-office-365/>



### QUESTION 8

DRAG DROP

You have a Microsoft 365 E5 subscription that contains two users named User1 and User2.

You need to implement insider risk management. The solution must meet the following requirements:

1.

Ensure that User1 can create insider risk management policies.

2.

Ensure that User2 can use content captured by using insider risk management policies.

3.

Follow the principle of least privilege.

To which role group should you add each user? To answer, drag the appropriate role groups to the correct users. Each role group may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to

view content.

NOTE: Each correct selection is worth one point.

Select and Place:

#### Role groups

- Insider Risk Management
- Insider Risk Management Admins
- Insider Risk Management Analysts
- Insider Risk Management Auditors
- Insider Risk Management Investigators

#### Answer Area

User1:

User2:

Correct Answer:





**Role groups**

Insider Risk Management
Insider Risk Management Auditors
Insider Risk Management Investigators

**Answer Area**

User1:

User2:

**QUESTION 9**

**HOTSPOT**

You have a Microsoft 365 tenant that uses a domain named canstoso.com.

A user named User1 leaves your company. The mailbox of User1 is placed on Litigation Hold, and then the account of User1 is deleted from Azure Active Directory (Azure AD).

You need to copy the content of the User1 mailbox to a folder in the existing mailbox of another user named User2.

How should you complete the PowerShell command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

`$InactiveMailbox - Get-Mailbox InactiveMailbox - Identity <distinguished name>`

New-Mailbox	-InactiveMailbox	<code>\$InactiveMailbox.DistinguishedName</code>
New-MailboxRestoreRequest	-LitigationHoldEnabled	-TargetRootFolder "User1 Mailbox"
Restore-RecoverableItems	-RetentionHoldEnabled	
Set-Mailbox	-SourceMailbox	

Correct Answer:

`$InactiveMailbox - Get-Mailbox InactiveMailbox - Identity <distinguished name>`

New-Mailbox	-InactiveMailbox	<code>\$InactiveMailbox.DistinguishedName</code>
New-MailboxRestoreRequest	-LitigationHoldEnabled	-TargetRootFolder "User1 Mailbox"
Restore-RecoverableItems	-RetentionHoldEnabled	
Set-Mailbox	-SourceMailbox	



References: <https://docs.microsoft.com/en-us/microsoft-365/compliance/restore-an-inactive-mailbox?view=o365-worldwide>

## QUESTION 10

### HOTSPOT

You have a Microsoft 365 subscription that uses an Azure AD tenant named contoso.com.

OneDrive stores files that are shared with external users. The files are configured as shown in the following table.

Name	Applied label
File1	Label1
File2	Label1, Label2
File3	Label2

You create a data loss prevention (DLP) policy that applies to the content stored in OneDrive accounts. The policy contains the following three rules:

#### Rule1

1.

Conditions: Label1, Detect content that's shared with people outside my organization

2.

Actions: Restrict access to the content for external users

3.

User notifications: Notify the user who last modified the content

4.

User overrides: On

5.

Priority: 0

#### Rule2:

1.

Conditions: Label1 or Label2

2.

Actions: Restrict access to the content

3.



Priority: 1

Rule3:

1.

Conditions: Label2, Detect content that's shared with people outside my organization

2.

Actions: Restrict access to the content for external users

3.

User notifications: Notify the user who last modified the content

4.

User overrides: On

5.

Priority: 2

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

### Answer Area

Statements	Yes	No
External users can access File1.	<input type="radio"/>	<input type="radio"/>
The users in contoso.com can access File2.	<input type="radio"/>	<input type="radio"/>
External users can access File3.	<input type="radio"/>	<input type="radio"/>

Correct Answer:



### Answer Area

Statements	Yes	No
External users can access File1.	<input type="radio"/>	<input checked="" type="radio"/>
The users in contoso.com can access File2.	<input type="radio"/>	<input checked="" type="radio"/>
External users can access File3.	<input type="radio"/>	<input checked="" type="radio"/>

### QUESTION 11

#### HOTSPOT

You have a Microsoft 365 E5 subscription that contains the users and groups shown in the following table.

Name	Type	User principal name (UPN)	Member of
User1	User	user1@sk220115outlook.onmicrosoft.com	Dist1
User2	User	user2@sk220115outlook.onmicrosoft.com	Dist1
User3	User	user3@sk220115outlook.onmicrosoft.com	Group1
User4	User	user4@sk220115outlook.onmicrosoft.com	none
Group1	Microsoft 365 group	group1@sk220115outlook.onmicrosoft.com	none
Dist1	Distribution group	dist1@sk220115outlook.onmicrosoft.com	none

You create the communication compliance policy as shown in the exhibit. (Click the Exhibit tab.)



# Review and finish

## Name and description

Name

CommCompliance1

## Users and reviewers

Supervised users and groups

dist1@sk220115outlook.onmicrosoft.com,Group1@sk220115outlook.onmicrosoft.com

Excluded users and groups

User2@sk220115outlook.onmicrosoft.com

Reviewers

User4@sk220115outlook.onmicrosoft.com

## Locations

Monitored locations

Exchange

## Conditions and percentage

Communication direction

Inbound

Optical character recognition(OCR)

Disabled

Conditions

None

Percentage to review

100



Four emails are sent as shown in the following table.

Name	Description
Mail1	Sent by User3 to User1.
Mail2	Sent by User1 to User2.
Mail3	Sent by User2 to User1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Hot Area:

### Answer Area

Statements	Yes	No
User4 can review Mail1.	<input type="radio"/>	<input type="radio"/>
User4 can review Mail2.	<input type="radio"/>	<input type="radio"/>
User4 can review Mail3.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

### Answer Area

Statements	Yes	No
User4 can review Mail1.	<input checked="" type="radio"/>	<input type="radio"/>
User4 can review Mail2.	<input type="radio"/>	<input checked="" type="radio"/>
User4 can review Mail3.	<input checked="" type="radio"/>	<input type="radio"/>

since Mail2 is sent from user1 and not recieved by user1, and the communication direction is only inbound then user4 cannot review it.

By default, the Direction is condition is displayed and can\'t be removed. Communication direction settings in a policy are chosen individually or together:

Inbound: Detects communications sent to scoped users from external and internal senders, including other scoped users in the policy.

Outbound: Detects communications sent from scoped users to external and internal recipients, including other scoped



users in the policy. Internal: Detects communications between the scoped users or groups in the policy.  
<https://learn.microsoft.com/en-us/purview/communication-compliance-policies>

## QUESTION 12

### HOTSPOT

You have a Microsoft 365 E5 subscription that contains the users shown in the following table.

Name	Member of
User1	Group2
User2	<i>None</i>
User3	<i>None</i>

The subscription contains the communication compliance policy shown in the following exhibit. Users send the email messages shown in the following table.



# Review and finish

## Name and description

Name

Policy1

## Users and reviewers

Choose users and groups

group2@sk230415outlook.onmicrosoft.com

Excluded users and groups

None

Reviewers

user3@sk230415outlook.onmicrosoft.com

## Locations

Scoped locations

Exchange

## Conditions and percentage

Communication direction

Outbound, Internal

Optical character recognition(OCR)

Disabled

Filter email blasts

Enabled

Conditions

None

Percentage to review

100





Name	Sender	Receiver
Mail1	User1	User2
Mail2	User1	friend@outlook.com
Mail3	friend@outlook.com	User2

For each of the following statements, select Yes if the statement is true. Otherwise, select No. NOTE: Each correct selection is worth one point.

Hot Area:

### Answer Area

Statements	Yes	No
User3 can review Mail1.	<input type="checkbox"/>	<input type="checkbox"/>
User3 can review Mail2.	<input type="checkbox"/>	<input type="checkbox"/>
User3 can review Mail3.	<input type="checkbox"/>	<input type="checkbox"/>

Correct Answer:



## Answer Area

Statements	Yes	No
User3 can review Mail1.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
User3 can review Mail2.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
User3 can review Mail3.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

### QUESTION 13

You have a Microsoft 365 E5 subscription that contains a data loss prevention (DLP) policy named DLP1.

DLP1 has a rule that triggers numerous alerts.

You need to reduce the number of alert notifications that are generated. The solution must maintain the sensitivity of DLP1.

What should you do?

- A. Change the mode of DLP1 to Test without notifications.
- B. Modify the rule and increase the instance count.
- C. Modify the rule and configure an alert threshold.
- D. Modify the rule and set the priority to the highest value.

Correct Answer: C

Reference: <https://learn.microsoft.com/en-us/microsoft-365/compliance/alert-policies?view=o365-worldwide>

### QUESTION 14

#### HOTSPOT

You have a Microsoft 365 E5 subscription that contains two users named Admin1 and User1, a Microsoft SharePoint Online site named Site1, and a retention label named Retention1.

The role assignments for Site1 are shown in the following table.



Name	Role
Admin1	Owner
User1	Member

Site1 includes a file named File1. Retention1 has the following settings:

1.  
Retain items for a specific period: Retention period: 7 years
2.  
During the retention period: Mark items as a record
3.  
At the end of the retention period: Delete items automatically

Retention1 is published to Site1.

User1 applies Retention1 to File1.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

### Answer Area

#### Statements

#### Yes

#### No

User1 can rename File1.

Admin1 can modify the contents of File1.

User1 can remove Retention1 from File1.

Correct Answer:



**Answer Area**

**Statements**

User1 can rename File1.

**Yes**

**No**

Admin1 can modify the contents of File1.



User1 can remove Retention1 from File1.



**QUESTION 15**

**HOTSPOT**

You have a Microsoft 365 E5 subscription.

You need to deploy a compliance solution that meets the following requirements:

1.

Prevents users from performing data transfers that breach local regulations

2.

Minimizes effort to respond to requests for a user's personal data

What should you use in the Microsoft Purview compliance portal? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

**Answer Area**

To prevent users from performing data transfers that breach local regulations:

	▼
Communication compliance	
Information barriers	
Incident risk management	
Privacy risk management	

To minimize effort to respond to requests for a user's personal data:

	▼
Data loss prevention (DLP)	
eDiscovery	
Records management	
Subject rights request	

Correct Answer:



**Answer Area**

To prevent users from performing data transfers that breach local regulations:

- Communication compliance
- Information barriers
- Incident risk management
- Privacy risk management

To minimize effort to respond to requests for a user's personal data:

- Data loss prevention (DLP)
- eDiscovery
- Records management
- Subject rights request

[SC-400 PDF Dumps](#)

[SC-400 Practice Test](#)

[SC-400 Brindumps](#)