



VCS-255^{Q&As}

Administration of Veritas Storage Foundation 6.1 for UNIX

Pass Veritas VCS-255 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.passapply.com/vcs-255.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which two Veritas Storage Foundation 6.1 for UNIX commands are used to prevent and allow multipathing of Veritas Volume Manager (VxVM) devices? (Select two.)

- A. vxdiskadm
- B. vxddladm
- C. fsvoladm
- D. vxdmpadm
- E. vxsfadm

Correct Answer: AD

QUESTION 2

Output from vxprint -g diskgroup -htr shows a plex with a state of NODEVICE. What does this indicate?

- A. The private region is accessible.
- B. The private region is inaccessible.
- C. The disk media is in a FAILING state.
- D. The subdisks are relocated.

Correct Answer: B

QUESTION 3

Which three are true regarding the '\\Premium\\' and '\\Basic\\' dictionaries that ship with the product? (Select three.)

- A. Both dictionaries ship with pre-populated terms.
- B. Administrators can delete predefined terms in a Premium dictionary.
- C. Basic dictionary includes a list of racially insensitive terms.
- D. The dictionaries are case insensitive.

Correct Answer: ACD

QUESTION 4

The following steps for migrating an application from system S1 to S2 have been completed on S1: unmount the file system stop the volume deport disk group How is the migration completed?



- A. (on S2) rescan; import disk group; start volume; mount file system; start application
- B. (on S2) rescan; import disk group with -n option; start volume; mount file system; start application
- C. (on S2) import disk group with -h option; start volume; mount file system; start application
- D. (on S2) import disk group with -startall option; mount file system; start application

Correct Answer: A

QUESTION 5

Given the following command: `vxassist -g datadg make datavol layout=raid5 ncol=3` How many disks are needed to construct the data vol volume?

- A. 2
- B. 3
- C. 4
- D. 5

Correct Answer: C

QUESTION 6

Which command configures a disk for use by Veritas Storage Foundation 6.1 for UNIX?

- A. `vxdiskconfig`
- B. `vxdisksetup`
- C. `vxvg`
- D. `vxdumpadm`

Correct Answer: B

QUESTION 7

What are the advantages of using a logical point-in-time copy (PITC)? (Choose two.)

- A. The PITC is initially a complete copy of the primary data.
- B. The PITC is available for use instantaneously.
- C. Potentially, less storage space is required.
- D. The storage space required is the same regardless of volume size.



E. The PITC can be split into a separate volume.

Correct Answer: BC

QUESTION 8

Which command changes the volume read policy to force Volume Manager to read from each plex of the datavol mirrored volume in the datadg disk group?

- A. `vxedit -g datadg set rdpol=round datavol`
- B. `vxvol -g datadg rdpol roundrobin datavol`
- C. `vxedit -g datadg set rdpol=roundrobin datavol`
- D. `vxvol -g datadg rdpol round datavol`

Correct Answer: D

QUESTION 9

Given the following command using 72g LUNs: `vxassist -g datadg make datavol 72g layout=raid5 ncol=3` How many LUNs are required to construct the datavol volume?

- A. 3
- B. 4
- C. 5
- D. 6

Correct Answer: B

QUESTION 10

Which two commands are used for thin reclamation? (Select two.)

- A. `fsadm`
- B. `vxctl`
- C. `vxdisk`
- D. `vxtune`
- E. `fsmap`

Correct Answer: AC



QUESTION 11

Refer to the exhibit.

v	appvol	-	ENABLED	ACTIVE	2097152	SELECT	appvol-04	fsgen
pl	appvol-04	appvol	ENABLED	ACTIVE	2097408	STRIPE	3/128	RW
sv	appvol-S01	appvol-04	appvol-L01	1	699136	0/0	2/3	ENA
v2	appvol-L01	-	ENABLED	ACTIVE	699136	SELECT	-	fsgen
p2	appvol-P01	appvol-L01	DISABLED	IOFAIL	699136	CONCAT	-	RW
s2	appdg02-01	appvol-P01	appdg02	766976	699136	0	emc0_dd8	ENA
p2	appvol-P02	appvol-L01	ENABLED	ACTIVE	699136	CONCAT	-	RW
s2	appdg04-02	appvol-P02	appdg04	0	699136	0	emc0_d10	ENA
p2	appvol-P03	appvol-L01	ENABLED	ACTIVE	699136	CONCAT	-	RW
s2	appdg07-02	appvol-P03	appdg07	0	699136	0	3pardata0_50	ENA
sv	appvol-S02	appvol-04	appvol-L02	1	699136	1/0	2/3	ENA
v2	appvol-L02	-	ENABLED	ACTIVE	699136	SELECT	-	fsgen
p2	appvol-P04	appvol-L02	ENABLED	ACTIVE	699136	CONCAT	-	RW
s2	appdg02-02	appvol-P04	appdg02	0	699136	0	emc0_dd8	ENA
p2	appvol-P05	appvol-L02	ENABLED	ACTIVE	699136	CONCAT	-	RW
s2	appdg05-02	appvol-P05	appdg05	0	699136	0	emc0_d11	ENA
p2	appvol-P06	appvol-L02	DISABLED	NODEVICE	699136	CONCAT	-	RW
s2	appdg08-02	appvol-P06	appdg08	0	699136	0	-	NDEV
sv	appvol-S03	appvol-04	appvol-L03	1	699136	2/0	2/3	ENA
v2	appvol-L03	-	ENABLED	ACTIVE	699136	SELECT	-	fsgen
p2	appvol-P07	appvol-L03	ENABLED	ACTIVE	699136	CONCAT	-	RW
s2	appdg03-02	appvol-P07	appdg03	0	699136	0	emc0_dd9	ENA
p2	appvol-P08	appvol-L03	DISABLED	NODEVICE	699136	CONCAT	-	RW
s2	appdg06-02	appvol-P08	appdg06	0	699136	0	-	NDEV
p2	appvol-P09	appvol-L03	ENABLED	ACTIVE	699136	CONCAT	-	RW
s2	appdg09-02	appvol-P09	appdg09	0	699136	0	3pardata0_52	ENA
dc	appvol_dco	appvol	appvol_dcl					
v	appvol_dcl	-	ENABLED	ACTIVE	67840	SELECT	-	gen
pl	appvol_dcl-01	appvol_dcl	DISABLED	NODEVICE	67840	CONCAT	-	RW
sd	appdg01-03	appvol_dcl-01	appdg01	699136	67840	0	-	NDEV
pl	appvol_dcl-02	appvol_dcl	ENABLED	ACTIVE	67840	CONCAT	-	RW
sd	appdg02-03	appvol_dcl-02	appdg02	699136	67840	0	emc0_dd8	ENA

The appvol volume contains a Veritas File System (VxFS) file system and is mounted to /app. The volume has experienced multiple disk failures.

What is the state of the data on the mounted file system?

- A. unavailable
- B. corrupted
- C. partially available
- D. fully accessible

Correct Answer: D

QUESTION 12



Which Veritas File System (VxFS) I/O error policy will place the file system into a degraded state upon a metadata write failure?

- A. nodisable
- B. wdisable
- C. mwdisable
- D. mdisable

Correct Answer: A

QUESTION 13

Which Veritas Volume Manager command can be used to explicitly report the maximum volume size that can be created using a single Volume Manager disk?

- A. vxassist
- B. vxstat
- C. vxtrace
- D. vxprint

Correct Answer: A

QUESTION 14

A user without administration privileges reaches the quota limit and is unable to create new files. Which two actions can the user perform to continue creating new files? (Select two.)

- A. Compress files using vxcompress
- B. Remove files
- C. Deduplicate the file system
- D. Resize the file system
- E. Raise the quota limits

Correct Answer: AB

QUESTION 15

Which three settings impact the size and performance of the Symantec Mail Security 8300 database?

(Select three.)



- A. report retention
- B. log levels
- C. quarantine retention
- D. compliance incident size

Correct Answer: ABC

[VCS-255 VCE Dumps](#)

[VCS-255 Practice Test](#)

[VCS-255 Study Guide](#)