VCS-260^{Q&As}

Administration of Veritas InfoScale Availability 7.3 for UNIX/Linux

Pass Veritas VCS-260 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.passapply.com/vcs-260.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Veritas Official Exam Center

QUESTION 1

Refer to the exhibit.

How many services are seeded in the GAB port membership?

GAB status and membership notation

```
# gabconfig -a
GAB Port Memberships
===================================================
Port a gen  f7c001   membership  01        ;
Port b gen  f7c004   membership  01        ;
Port h gen  f7c002   membership  01        ;
```

A. The GAB port membership has two nodes: 1 and 2.

B. The GAB port membership has three nodes: 0, 1, and 12.

C. The GAB port membership has one node: 1.

D. The GAB port membership has four nodes: 0, 1, 21, and 22.

Correct Answer: D

QUESTION 2

The Oracle database administrator needs to shut down the Veritas Cluster Server (VCS) controlled database to apply patches. The manual shutdown of the database may cause VCS to fail over the service group.

Which command can the administrator run to prevent VCS from responding to the intentional Oracle database shutdown?

A. hagrp -flush

B. hagrp -freeze

C. hatype -freeze Oracle

D. hares -ignoreparent

Correct Answer: D

QUESTION 3

Which capability is provided by Virtual Business Service (VBS)?

A. the ability to monitor and alert the administrator to service group faults based on priority

B. the ability to Start and Stop service groups in a pre-defined dependency order

C. the ability to collect cluster HostMonitor data and availability reporting

D. the ability to automatically move service groups to the disaster recovery site on production fault

Correct Answer: D

QUESTION 4

An administrator is bringing a service group online. One of the resources is remaining offline, and is shown in `waiting to go online\\' state.

Which command should the administrator run to stop Veritas Cluster Server from attempting to bring the resource online to troubleshoot the issue?

A. hares -clear

B. hares -offline

C. hagrp -clearadminwait group -sys system

D. hagrp -flush

Correct Answer: B

QUESTION 5

As part of the consolidation efforts in a data center, the administrator decides to merge two two-node Veritas Cluster Server (VCS) clusters into a four-node VCS cluster. The source and target clusters are on the same networks for LLT communication. The administrator performs the following task as preparation for the merge while both clusters are still running:

1.

 modifies /etc/llttab files on the source cluster systems so the cluster ID is changed to the cluster ID of the target cluster

2.

 modifies /etc/llthosts files on all systems to include the four nodes

3.

 modifies /etc/gabtab files on all systems to require four systems to seed

4.

ensures the source cluster systems can see the fencing disks used by the target cluster

5.

copies the fencing configuration files from the target cluster systems to the source cluster systems

6.

adds the source cluster systems to the target cluster configuration using the hasys -add command

After the preparation is complete, the administrator stops the source cluster leaving the applications running, then stops the whole communication stack and restarts it in the correct order. When the administrator attempts to start the cluster again on the source cluster systems, they fail to join the four-node cluster.

Which preparation step that the administrator failed to perform is preventing the source cluster systems from joining the four-node cluster?

A. The cluster needs to be manually seeded using gabconfig -x on the source cluster systems.

B. The target main.cf file needs to be copied to the source cluster systems.

C. The service group configuration of the source cluster needs to be applied to the target cluster.

D. The cluster UUID from the target cluster needs to be copied to the source cluster.

Correct Answer: D

QUESTION 6

Which command should an administrator use to verify the values of AutoStartList attributes for service group SG1?

A. hagrp -list SG1 AutoStartList

B. hagrp -display SG1 -attribute AutoStartList

C. hagrp -display SG1 -value AutoStartList

D. hagrp -value SG1 -localclus

Correct Answer: B

QUESTION 7

Which type of VMware disks are supported for SCSI-3 disk-based I/O fencing in a VMware in-guest cluster?

A. raw device mapping with virtual compatibility mode

B. raw device mapping with physical compatibility mode

C. virtual machine disks (vmdk) with physical compatibility mode

D. virtual machine disks (vmdk) from a VMFS datastore

Correct Answer: D

QUESTION 8

Which action should an administrator perform prior to removing a resource named webdg from a running service group?

A. take the service group offline

B. take all parent resources of webdg offline

C. take all child resources of webdg offline

D. remove all parent resources of webdg

Correct Answer: B

QUESTION 9

An administrator wants to deploy a complex cluster configuration that will include over six nodes, I/O fencing, and multiple private cluster interconnections.

Which method will help the administrator to implement rapid cluster deployment?

A. prepare a custom main.cf file using the sample template files and copy the file to all cluster nodes

B. generate a custom installation script using the Veritas Services and Operations Readiness Tools (SORT) website

C. prepare a custom response file in Veritas InfoScale Operations Manager (VIOM) and push it out to the new cluster

D. prepare a custom response file to build the new cluster configuration using /opt/VRTS/install/installer

Correct Answer: D

QUESTION 10

For which two virtual machine types does Veritas Cluster Server provide agents? (Choose two.)

A. IBM LPAR

B. Citrix Xen

C. Oracle Virtual Machines (OVM) for SPARC

D. Oracle Virtual Box

E. HP nPARs

Correct Answer: AB

QUESTION 11

Which agent entry point is used when running a virtual fire drill for a specific resource?

A. info

B. online

C. monitor

D. action

Correct Answer: D

QUESTION 12

Which two tasks are performed by the Veritas Cluster Server DiskGroup agent? (Choose two.)

A. It optionally mounts file systems and volumes.

B. It sets all diskgroups to autoimport=no.

C. It sets only the defined diskgroup to autoimport=no.

D. It automatically discovers SCSI-3 disks.

E. It uses vxdg commands to verify the diskgroup is onlne.

Correct Answer: CE

QUESTION 13

Where is the sysoffline trigger executed if a node goes into a jeopardy state or leaves the cluster?

A. on all nodes in the cluster regardless of state

B. on the node that goes offline by entering a jeopardy state or leaving the cluster

C. on all the nodes in the cluster that are still in a RUNNING state

D. on the lowest numbered system in the cluster with a RUNNING state

Correct Answer: D

QUESTION 14

Which service group dependency type supports two applications being online on any system in the cluster?

A. parallel

B. global

C. local

D. remote

Correct Answer: B

QUESTION 15

An administrator wants to configure an HA fire drill for a service group in an existing cluster. Which two behaviors should the administrator expect? (Choose two.)

A. The fire drill uses the Action function associated with the agent.

B. The fire drill clones the service groups in the cluster.

C. The fire drill uses virtual IP to test the failover of service groups.

D. The fire drill requires an additional license installed on each node of the cluster.

E. The fire drill detects discrepancies between the VCS configuration and underlying infrastructure.

Correct Answer: BE

[VCS-260 VCE Dumps](#)   [VCS-260 Study Guide](#)   [VCS-260 Braindumps](#)