

**Exam** : **000-118**

**Title** : Midrange Storage Technical  
Support V2

**Version** : Demo

1. A customer has an IBM System Storage DS5000 and needs to add more disk drives to the unit. There is no record of the configuration for this machine.

How can the configuration be retrieved so an upgrade can be configured?

- A. use Storage Manager to export the system profile
- B. create a configuration in eConfig and provide proof of purchase
- C. use the IBM Standalone Systems Configuration Tool (SSCT) to recreate the configuration
- D. have the customer contact the IBM AAS coordinator to retrieve a copy of the original configuration

**Answer: A**

2. A customer with an IBM SAN Volume Controller attached to Windows servers calls their Business Partner storage specialist asking for configuration assistance.

What is the appropriate response.?

- A. contact an IBM Customer Engineer
- B. send a Service Support Representative (SSR)
- C. recommend purchase of a Support Line contract
- D. engage a Field Technical Sales Support (FTSS)

**Answer: C**

3. The customer is planning a new IBM System Storage DS5020 using iSCSI and direct attached fibre channel connectivity in a redundant configuration. The customer is planning to set up a disaster recovery solution in the near future by using Enhanced Remote Mirroring.

Which of the following considerations are critical for this customer?

- A. customer must reconfigure an iSCSI port for mirroring
- B. customer must set up a fabric and dedicate port 4 for disaster recovery
- C. customer must set up a fabric and dedicate port 2 for disaster recovery
- D. replication is not possible with the DS5020, they must consider the DS5300

**Answer: C**

4. A customer is conducting a proof of concept with an IBM System Storage DS5100 attached to Linux hosts. The DS5100 is running in a degraded state and the "collect all support data" operation does not complete correctly.

What alternate data should be collected and forwarded to IBM support?

- A. Capture State information, Major Event Log (MEL), I/Ometer
- B. Storage Profile, Capture State information, Performance Monitor
- C. Storage Profile, Major Event Log (MEL), Capture State information
- D. Capture State Information, Major Event Log (MEL), Performance Monitor

**Answer: C**

5. A customer has Windows servers and applications that use block I/O. The customer cannot afford the cost of a fibre channel infrastructure but still requires shared storage.

Which configuration meets these requirements at the lowest cost?

- A. iSCSI HBAs and N3400
- B. Microsoft iSCSI initiator and N3400
- C. Microsoft iSCSI initiator and DS3400

D. SAN04B-R multi-protocol router and DS3400

**Answer: B**

6. A current N series customer has an IBM System Storage N3600. They are interested in future expansion.

What is the minimum number of disk drives required to populate the expansion shelf?

A. 0

B. 1

C. 4

D. 14

**Answer: A**

7. A customer has a requirement for Disaster Recovery for compliance within their industry. They have an RPO of 4 hours and an RTO of 24 hours. Cost is a consideration.

What is the most cost effective DR implementation?

A. a disk-to-disk backup solution keeping all storage in the data center

B. a backup solution that includes magnetic tape that is shipped to an off-site storage facility

C. a less powerful copy environment at a hot site with asynchronous mirroring and cluster technology

D. an exact copy of the primary environment at a hot site with remote mirroring and cluster technology

**Answer: B**

8. As part of a Business Continuity project, a customer has established replication from 3 spokes to a DR hub with ProtecTIER 7610 appliances. Each of the 3 spokes is backing up 500 GB of nominal data daily with an average deduplication ratio of 10:1. The replication window is 12 hours. The data change rate is 15%.

What is the approximate minimum required bandwidth for each WAN connection?

A. 1.2 MB/s

B. 7.5 MB/s

C. 12 MB/s

D. 75 MB/s

**Answer: A**

9. A customer requires off-site storage for 500 GB per night in backup tapes. The backup site is 560 kilometers (350 miles) away. The customer does not require the backup site to run the application in the event of failure at the main site.

What is the least expensive strategy for the data center to implement?

A. make online image backups

B. install Global Mirror at the backup site

C. ship nightly backup tapes to the remote site

D. install Tivoli Storage Manager (TSM) and a tape drive at the backup site

**Answer: C**

10. A storage specialist is assessing a customer's tape backup environment.

Which of the following questions would be the most appropriate question to identify the customer's

environment?

- A. Has there been any recent loss of data? B.
- How many tape drives are in the Library?
- C. What tape technology is currently being used?
- D. What software is being used for restoring the data?

**Answer: C**

11. An existing customer with a Tivoli Storage Manager backup environment is having difficulty completing backups within the backup window on multiple mission critical servers. These servers are connected to a DS5300 via an IBM 2054-E06 director. The TSM server also connects to an IBM TS3310 library with 6 LTO-5 drives installed.

What would the storage specialist recommend to aid these servers in completing their backups?

- A. activate NDMP support on the DS5300 and backup the data across the SAN
- B. implement Tivoli Storage FlashCopy Manager to backup the data across the LAN
- C. implement Tivoli Storage Manager for Storage Area Networks and backup the data across the LAN
- D. implement Tivoli Storage Manager for Storage Area Networks and backup the data across the SAN

**Answer: D**

12. A storage specialist is discussing the customer's high availability plan and discovers that they are only 80 kilometers (50 miles) from the intended site. They require 7 x 24 x 365 data availability in a UNIX environment with an RPO of two minutes. They have two DS5300 systems located at both sites.

Which of the following IBM storage functions best meets the customer's business continuance requirements?

- A. HACMP
- B. Volume copy
- C. Metro Mirror
- D. Global Mirror

**Answer: C**

13. A customer is planning on establishing a Global Mirror between two Storwize V7000 storage arrays. The customer is planning to lease an IP WAN connection between sites for the tasks and is running a SAP (database) application on Oracle.

Which of the following planning considerations is most important? A.

- the distance between sites needs to be less than 100 kilometers
- B. consistency groups should be created to maintain write order on the remote mirror
- C. ensure sufficient bandwidth exists on the link based on average application workloads
- D. ensuring a low round trip latency of less than 30ms on the WAN connection is required

**Answer: B**

14. A customer has an existing DS5300 system attached to two Brocade switches with eight Windows servers. The customer wants to add their System i p750 server to this SAN. From the following choices what is the simplest and least expensive solution for this customer?

- A. add two fibre HBAs to the System i and connect to the SAN
- B. add two fibre HBAs to the System i and connect to the Windows Servers

- C. add two fibre HBAs to the System i and connect to the System i using VIOS
- D. add two SAS HBAs to the System i array and connect directly to the DS5300

**Answer: A**

15. What protocol would allow an IBM System Storage N6040 to do a file level backup to a tape device?

- A. FCP
- B. NFS C.
- HTTP D.
- NDMP

**Answer: D**

16. Data deduplication ratios depend on many factors. However, deduplication ratios are generally greater for what type of data?

- A. encrypted data
- B. compressed data
- C. archive data
- D. multiplexed data streams

**Answer: B**

17. Aligning data that must be preserved to the correct tier of storage until it is no longer useful is an example of:

- A. Business Continuity
- B. Disaster Recovery Plan
- C. Storage Consolidation
- D. Information Lifecycle Management

**Answer: D**

18. An IBM System Storage N6040 customer wants to utilize point-in-time copies to protect the data for a Windows application. The server is using FCP to connect to the LUN. Which of the following products would be required to perform this function? A.

- SnapShot
- B. FlashCopy
- C. SnapProtect
- D. Tivoli Storage FlashCopy Manager

**Answer: A**

19. Tivoli Key Lifecycle Manager V2 can be utilized to :

- A. provide AES encryption key support to LTO-3, LTO-4 and LTO-5 tape drives
- B. provide AES encryption key support for DS5000 storage arrays
- C. provide encryption key management for Storwize V7000, LTO-4, and LTO-5 tape drives
- D. provide encryption key management for Storwize V7000, TS1120 and TS1130 tape drives

**Answer: A**

20. A customer's current backup environment uses IBM Tivoli Storage Manager (TSM) over the corporate

LAN. A 500 GB Oracle database application was recently added to the SAN. Backup windows are no longer being met.

Which action should the storage specialist recommend?

- A. virtualize the storage with SVC
- B. implement TSM for space management
- C. implement TSM for Storage Area Networks
- D. add an additional Ethernet card to the TSM server

**Answer: C**

# Trying our product !




- ★ **100%** Guaranteed Success
- ★ **100%** Money Back Guarantee
- ★ **365 Days** Free Update
- ★ **Instant Download** After Purchase
- ★ **24x7** Customer Support
- ★ Average **99.9%** Success Rate
- ★ More than **69,000** Satisfied Customers Worldwide
- ★ Multi-Platform capabilities - **Windows, Mac, Android, iPhone, iPod, iPad, Kindle**

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <b>Money Back Guarantee</b> <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <b>Security &amp; Privacy</b> <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

## Guarantee & Policy | Privacy & Policy | Terms & Conditions

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © 2004-2014, All Rights Reserved.